ARCHIVES
OF
GENERAL PSYCHIATRY

www.archgenpsychiatry.com

Index to

Volume 62

January through December 2005

Editor
Joseph T. Coyle, MD
Belmont, Mass

Associate Editor
Stephan H. W. Heckers, MD
Belmont, Mass

Web Editor
Ronald J. Steingard, MD
Worcester, Mass

Editorial Assistant
Frances MacNeil
Belmont, Mass

Editorial Board

Ross J. Baldessarini, MD, Belmont, Mass
Floyd E. Bloom, MD, La Jolla, Calif
David L. Braff, MD, San Diego, Calif
William T. Carpenter, Jr, MD, Baltimore, Md
Kenneth L. Davis, MD, New York, NY
Raymond J. Dolan, MD, London, England
Felton Earls, MD, Cambridge, Mass
Ellen Frank, PhD, Pittsburgh, Pa
James C. Harris, MD, Baltimore, Md
Fritz A. Henn, PhD, MD, Mannheim, Germany
Kenneth S. Kendler, MD, Richmond, Va
Ronald C. Kessler, PhD, Boston, Mass
Helena Chmura Kraemer, PhD, Stanford, Calif
David J. Kupfer, MD, Pittsburgh, Pa
Herbert Y. Meltzer, MD, Nashville, Tenn
Kathleen Ries Merikangas, PhD, Bethesda, Md
Charles P. O'Brien, PhD, Philadelphia, Pa
Michael J. Owen, PhD, FRCPsych, FMed Sci, Cardiff, Wales
Judith L. Rapoport, MD, Bethesda, Md
Alan F. Schatzberg, MD, Stanford, Calif
Ronald J. Steingard, MD, Worcester, Mass
Ming T. Tsuang, MD, PhD, La Jolla, Calif
Myrna M. Weissman, PhD, New York, NY
Kenneth B. Wells, MD, MPH, Los Angeles, Calif
Charles F. Zorumski, MD, St Louis, Mo

ARCHIVES
OF
GENERAL PSYCHIATRY

www.archgenpsychiatry.com

Index to

Volume 62

January through December 2005

Editor
Joseph T. Coyle, MD
Belmont, Mass

Associate Editor
Stephan H. W. Heckers, MD
Belmont, Mass

Web Editor
Ronald J. Steingard, MD
Worcester, Mass

Editorial Assistant
Frances MacNeil
Belmont, Mass

Editorial Board

Ross J. Baldessarini, MD, Belmont, Mass
Floyd E. Bloom, MD, La Jolla, Calif
David L. Braff, MD, San Diego, Calif
William T. Carpenter, Jr, MD, Baltimore, Md
Kenneth L. Davis, MD, New York, NY
Raymond J. Dolan, MD, London, England
Felton Earls, MD, Cambridge, Mass
Ellen Frank, PhD, Pittsburgh, Pa
James C. Harris, MD, Baltimore, Md
Fritz A. Henn, PhD, MD, Mannheim, Germany
Kenneth S. Kendler, MD, Richmond, Va
Ronald C. Kessler, PhD, Boston, Mass
Helena Chmura Kraemer, PhD, Stanford, Calif
David J. Kupfer, MD, Pittsburgh, Pa
Herbert Y. Meltzer, MD, Nashville, Tenn
Kathleen Ries Merikangas, PhD, Bethesda, Md
Charles P. O'Brien, PhD, Philadelphia, Pa
Michael J. Owen, PhD, FRCPsych, FMed Sci, Cardiff, Wales
Judith L. Rapoport, MD, Bethesda, Md
Alan F. Schatzberg, MD, Stanford, Calif
Ronald J. Steingard, MD, Worcester, Mass
Ming T. Tsuang, MD, PhD, La Jolla, Calif
Myrna M. Weissman, PhD, New York, NY
Kenneth B. Wells, MD, MPH, Los Angeles, Calif
Charles F. Zorumski, MD, St Louis, Mo

In this index in alphabetical order are listed names of authors of all articles and letters. Full citation is given under first author only; reference is made from joint authors. Names which begin with a prefix are entered under the prefix. The month is given as a two-letter notation in parentheses.

A

Aalto S see Hirvonen J
Abelson JL, Liberzon I, Young EA, Khan S: Cognitive modulation of the endocrine stress response to a pharmacological challenge in normal and panic disorder subjects, 668 (Je)
Aber JL see Hoven CW
Abi-Dargham A see Krystal JH
Abi-Saab W see Krystal JH
Abram KM see Teplin LA
Adams C see Beacher F
Adetunji BA see Williams AB
Adler CM see Strakowski SM
Afifi TO see Sareen J
Aggleton J see Thapar A
Agras WS see Halmi KA
Al-SUPERPFP Team see Beals J
Akbarian S, Ruehl MG, Bliven E, Luiz LA, Peranelli AC, Baker SP, Roberts RC, Bunney WE Jr, Conley RC, Jones EG, Tamminga CA, Guo Y: Chromatin alterations associated with down-regulated metabolic gene expression in the prefrontal cortex of subjects with schizophrenia, 829 (Au)
Aktiskal HS see Judd LL
Allison DB see Henderson DC
Altshuler LL see Suppes T
Amicone J see Strakowski SM
Amsterdam JD see DeRubeis RJ; Hollon SD
Andersen PK see Kessing LV
Anderson BJ see Stein MD
Anderson EJ see Henderson DC
Anthenelli RM see Strakowski SM
Anthony JC see Breslau N
Anthony JL see Stein MD
Appelbaum PS see Palmer BW
Aragon R see Radel M
Ardekani BA see Szeszko PR
Arima K see Sawada K
Arndt S see Jorge RE
Arnold LM see Strakowski SM
Arnow BA see Schatzberg AF
Ashtari M see Szeszko PR
Asmundson GJG see Sareen J

B

Badger GJ see Marsch LA
Bailer UF, Frank GK, Henry SE, Price JC, Meltzer CC, Weissfeld L, Mathis CA, Drevets WC, Wagner A, Hoge J, Ziolko SK, McConaha CW, Kaye WH: Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl-^{11}C]WAY-100635, 1032 (Se)
Baker CB see Woods SW
Baker SP see Akbarian S
Balaban V see Hoven CW
Baldwin R see Staley JK
Banks PLC see Schatzberg AF
Bares R see Heinz A
Barkhof F see van den Heuvel OA
Barnes LL, Wilson RS, Bienias JL, Schneider JA, Evans DA, Bennett DA: Sex differences in the clinical manifestations of Alzheimer disease pathology, 685 (Je)
Barr AM see Sawada K
Barsky AJ, Orav EJ, Bates DW: Somatization increases medical utilization and costs independent of psychiatric and medical comorbidity, 903 (Au)
Bates DW see Barsky AJ
Battaglia M, Ogliari A, Zanoni A, Citterio A, Pozzoli U, Giorda R, Maffei C, Marino C: Influence of the serotonin transporter promoter gene and shyness on children's cerebral responses to facial expression, 85 (Ja)
Bava S see Cannon TD
Beacher F, Simmons A, Daly E, Prasher V, Adams C, Margallo-Lana ML, Morris R, Lovestone S, Murphy K, Murphy DGM: Hippocampal Myo-inositol and cognitive ability in adults with Down syndrome: an in vivo proton magnetic resonance spectroscopy study, 1360 (De)
Beals J, Manson SM, Whitesell NR, Spicer P, Novins DK, Mitchell CM, Al-SUPERPFP Team: Prevalence of *DSM-IV* disorders and attendant help-seeking in 2 American Indian reservation populations, 99 (Ja)
Beautrais AL see Fergusson DM
Beck AT: Current state of cognitive therapy: 40-year retrospective, 953 (Se)
Bekker EM, Overtoom CCE, Kooij JJS, Buitelaar JK, Verbaten MN, Kenemans JL: Disentangling deficits in adults with attention-deficit/hyperactivity disorder, 1129 (Oc)
Belger A see Krystal JH; Morey RA
Belnap BH see Rollman BL
Bennett DA see Barnes LL
Bennett P see Hamshere ML
Bentall RP see Day JC
Berglund P see Kessler RC; Wang PS
Berman KF see Meyer-Lindenberg S
Bertelsen A see Laursen TM
Bhaumik DK see Gibbons RD
Bickel WK see Marsch LA
Bielski RJ see Rickels K
Bienias JL see Barnes LL
Bierut LJ see Culverhouse R; Nurnberger JI Jr
Bilder RM see Szeszko PR
Bin F see Hoven CW
Birbaumer N, Veit R, Lotze M, Erb M, Hermann C, Grodd W, Flor H: Deficient fear conditioning in psychopathy: a functional magnetic resonance imaging study, 799 (Jy)
Blaine J see Petry NM
Blalock JA see Schatzberg AF
Blankertz LE see Cook JA
Bliven E see Akbarian S
Bloch M see Schmidt PJ
Blumenthal JA see Taylor CB
Blyler CR see Cook JA
Boake C see Levin HS
Booth RE see Petry NM
Borba CP see Henderson DC
Borian FE see Schatzberg AF
Bostwick JM see Palmer BA
Braff DL see Light GA
Braus DH see Heinz A
Breitner JCS see Zandi PP
Breslau N, Reboussin BA, Anthony JC, Storr CL: Structure of posttraumatic stress disorder: latent class analysis in 2 community samples, 1343 (De)
Breslau N, Roth T, Burduvali E, Kapke A, Schultz L, Roehrs T: Sleep in lifetime posttraumatic stress disorder: a community-based polysomnographic study, 61:508 (My); correction, 62:172 (Fe)
Breslau N, Schultz L, Johnson EO, Peterson EL, Davis GC: Smoking and the risk of suicidal behavior: a prospective study of a community sample, 328 (Mr)
Brock JD see Rickels K
Brooklyn J see Marsch LA
Brooks-Gunn J see Xue Y
Brown LL see DeRubeis RJ
Brown R see Stein MD
Brown SA see Levin HS
Brown T see Meyer-Lindenberg S
Browner WS see Gehi A
Bruder G see Weissman MM
Brundage SI see Levin HS
Bryson SW see Halmi KA
Bucholz KK see Culverhouse R; Nurnberger JI Jr
Buitelaar JK see Bekker EM
Bunney WE Jr see Akbarian S
Buonocore MH see Nordahl TE
Burduvali E see Breslau N
Burg MM see Taylor CB
Burke-Miller J see Cook JA
Burns R see Petry NM
Busto UE see Tremblay LK
Butler PD, Zemon V, Schechter I, Saperstein AM, Hoptman MJ, Lim KO, Revheim N, Silipo G, Javitt DC: Early-stage visual processing and cortical amplification deficits in schizophrenia, 495 (My)
Buysse DJ see Nofzinger EA
Bystritsky A see Roy-Byrne PP

C

Cache County Study Investigators see Zandi PP
Cagliero E see Henderson DC
Callahan CM see Katon WJ
Cannistraro PA see Shin LM
Cannon TD, Glahn DC, Kim J, Van Erp TGM, Karlsgodt K, Cohen MS, Nuechterlein KH, Bava S, Shirinyan D: Dorsolateral prefrontal cortex activity during maintenance and manipulation of information in working memory in patients with schizophrenia, 1071 (Oc)
Cannon TD, Hennah W, Van Erp TGM, Thompson PM, Lonnqvist J, Huttunen M, Gasperoni T, Tuulio-Henriksson A, Pirkola T, Toga AW, Kaprio J, Mazziotta J, Peltonen L: Association of *DISC1/TRAX* haplotypes with schizophrenia, reduced prefrontal gray matter, and impaired short- and long-term memory, 1205 (No)
Cannon TD see Hirvonen J
Cantor PA see Hoven CW
Cardno A see Hamshere ML
Carney RM see Taylor CB
Caspi A see Kim-Cohen J; Moffitt TE; Reichenberg A; Slutske WS
Castillo G see Paulus MP
Catellier D see Taylor CB
Cath DC see van den Heuvel OA
Catledge C see Mohr DC
Caton CLM, Drake RE, Hasin DS, Dominguez B, Shrout PE, Samet S, Schanzer B: Differences between early-phase primary psychotic disorders with concurrent substance use and substance-induced psychoses, 137 (Fe); correction, 493 (My)
Cattell D see Day JC
Cavanagh SR see Shin LM
Chang Y-C see Lane H-Y
Charles C see Lieberman JA
Charney DS see Dickstein DP
Chiu C-C see Lane H-Y
Chiu WT see Kessler RC
Chung JY see Revicki DA
Ciresi G see Silverman JM
Citterio A see Battaglia M
Clarke GN see Lynch FL
Cohen A see Petry NM
Cohen M see Hoven CW
Cohen MS see Cannon TD
Cohen P see Hoven CW
Conley RC see Akbarian S
Cook JA, Leff HS, Blyler CR, Gold PB, Goldberg RW, Mueser KT, Toprac MG, McFarlane WR, Shafer MS, Blankertz LE, Dudek K, Razzano LA, Grey DD, Burke-Miller J: Results of a multisite randomized trial of supported employment interventions for individuals with severe mental illness, 505 (My)
Cooper TB see Krystal JH
Copeland PM see Henderson DC
Copersino M see Petry NM
Corley RP see Stallings MC
Cornelius JR see Salloum IM
Corvin A see Hamshere ML
Coryell W see Judd LL
Cowell M see Petry NM
Cox BJ see Sareen J
Coyle JT: Beginning year 4, 14 (Ja)
Craddock N see Green EK; Hamshere ML
Craske MG see Roy-Byrne PP
Crespo-Facorro B see Jorge RE
Croissant B see Heinz A
Croudace T see Marshall M
Crow S see Halmi KA
Crowe RR see Culverhouse R
Crowley TJ see Stallings MC
Culverhouse R, Bucholz KK, Crowe RR, Hesselbrock V, Nurnberger JI Jr, Porjesz B, Schuckit MA, Reich T, Bierut LJ: Long-term stability of alcohol and other substance dependence diagnoses and habitual smoking: an evaluation after 5 years, 753 (Jy)

D

Daley DC see Salloum IM
Daley TB see Henderson DC
Daly E see Beacher F
Daly RC see Schmidt PJ
Danaceau MA see Schmidt PJ
Davatzikos C, Shen D, Gur RC, Wu X, Liu D, Fan Y, Hughett P, Turetsky BI, Gur RE: Whole-brain morphometric study of schizophrenia revealing a spatially complex set of focal abnormalities, 1218 (No)
Davidson M see Reichenberg A

Davis GC see Breslau N
Dawson G see Werner E
Day JC, Bentall RP, Roberts C, Randall F, Rogers A, Cattell D, Healy D, Rae P, Power C: Attitudes toward antipsychotic medication: the impact of clinical variables and relationships with health professionals, 717 (Jy)
de Graaf R see Sareen J
DelBello MP see Strakowski SM
Demler O see Kessler RC
Dennehey B see Stallings MC
DeRubeis RJ, Hollon SD, Amsterdam JD, Shelton RC, Young PR, Salomon RM, O'Reardon JP, Lovett ML, Gladis MM, Brown LL, Gallop R: Cognitive therapy vs medications in the treatment of moderate to severe depression, 409 (Ap)
DeRubeis RJ see Hollon SD
Deverka PA see Huskamp HA
Dickerson J see Lynch FL
Dickinson SL see Kiecolt-Glaser JK
Dickstein DP, Milham MP, Nugent AC, Drevets WC, Charney DS, Pine DS, Leibenluft E: Frontotemporal alterations in pediatric bipolar disorder: results of a voxel-based morphometry study, 734 (Jy)
DiMaria J see Petry NM
Dohmen BM see Heinz A
Dominguez B see Caton CLM
Drabant EM see Hariri AR
Drake R see Marshall M
Drake RE see Caton CLM
Drevets WC see Bailer UF; Dickstein DP
D'Souza DC see Krystal JH
Duarte CS see Hoven CW
Dudas MM see Sacco KA
Dudek K see Cook JA
Dunn LB see Palmer BW
Dwork AJ see Sawada K

E

Earls FJ see Xue Y
Egan MF see Hariri AR; Meyer-Lindenberg S
Eisen SA see Koenen KC; Potenza MN; Scherrer JF
Eisenberg L: Violence and the mentally ill: victims, not perpetrators, 825 (Au)
Elvevåg B see Talamini LM
Endicott J see Judd LL
Enoch M-A see Zhou Z
ENRICHD Investigators see Taylor CB
Epstein AM see Huskamp HA
Epstein RS see Huskamp HA
Erb M see Birbaumer N
Evans DA see Barnes LL
Evins E see Henderson DC

F

Fagiolini AM see Frank E
Falkai P see Sawada K
Fan M see Katon WJ
Fan Y see Davatzikos C
Fein JA see Kassam-Adams N
Feinstein JS see Paulus MP
Feltner DE see Rickels K
Fenton WS see Insel TR
Fergusson DM, Horwood LJ, Ridder EM, Beautrais AL: Subthreshold depression in adolescence and mental health outcomes in adulthood, 66 (Ja)
Fleck DE see Strakowski SM
Fleischhacker WW see Kemmler G
Flor H see Birbaumer N
Fowler T see Thapar A
Frank E, Kupfer DJ, Thase ME, Mallinger AG, Swartz HA, Fagiolini AM, Grochocinski V, Houck PR, Scott J, Thompson W, Monk T: Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder, 996 (Se)
Frank GK see Bailer UF
Frank L see Revicki DA
Frank RG see Huskamp HA
Freeman BB see Hollon SD
Frohlich E see Staley JK
Fryz MA see Suppes T
Fuemmeler BF see Kollins SH

G

Gallop R see DeRubeis RJ; Hollon SD
Galloway GP see Nordahl TE
Gameroff MJ see Olfson M
Garcia-España JF see Kassam-Adams N
Gardner W see Rollman BL
Gasperoni T see Cannon TD
Gehi A, Mangano D, Pipkin S, Browner WS, Whooley MA: Depression and heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study, 661 (Je)
Gelenberg AJ see Liebowitz MR
George TP see Sacco KA
Gerig G see Hazlett HC
Germain A see Nofzinger EA
Gibbons RD, Hur K, Bhaumik DK, Mann JJ: Relationship between antidepressant medication use and rate of suicide, 165 (Fe)
Gill M see Hamshere ML
Gilmore J see Hazlett HC
Giorda R see Battaglia M
Gladis MM see DeRubeis RJ
Glahn DC see Cannon TD
Glaser R see Kiecolt-Glaser JK
Glassman AH: Does treating post–myocardial infarction depression reduce medical mortality? 711 (Jy)
Goff DC see Henderson DC
Gold PB see Cook JA
Goldberg J see Koenen KC
Goldberg RW see Cook JA
Goldberg TE see Talamini LM
Goldman D see Radel M; Zhou Z
Golinelli D see Roy-Byrne PP
Golshan S see Palmer BW
Goodman HS see Levin HS
Goodwin RD see Hasin DS; Hoven CW
Gordon-Smith K see Green EK
Gottschalk C see Staley JK
Graham SJ see Tremblay LK
Grant BF see Hasin DS
Green AI see Lieberman JA
Green BL see Revicki DA
Green EK, Raybould R, Macgregor S, Gordon-Smith K, Heron J, Hyde S, Grozeva D, Hamshere M, Williams N, Owen MJ, O'Donovan MC, Jones L, Kirov G, Craddock N, Jones I: Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder, 642 (Je)
Greenberg T see Olfson M
Greenblatt DJ see Pomara N
Grey DD see Cook JA
Grillon C see Weissman MM
Grochocinski V see Frank E
Grodd W see Birbaumer N
Groenewegen HJ see van den Heuvel OA
Grozeva D see Green EK
Grunze H see Suppes T
Gu H see Lieberman JA
Guardino M see Pine DS
Gueorguieva R see Krystal JH; Staley JK; Woods SW
Guo Y see Akbarian S
Gur RC see Davatzikos C
Gur RE see Davatzikos C; Lieberman JA

H

Halmi KA, Agras WS, Crow S, Mitchell J, Wilson GT, Bryson SW, Kraemer HC: Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs, 776 (Jy)
Haman KL see Hollon SD
Hamer RM see Lieberman JA
Hamilton J see Petry NM
Hamshere M see Green EK
Hamshere ML, Bennett P, Williams N, Segurado R, Cardno A, Norton N, Lambert D, Williams H, Corvin A, Holmans P, Jones L, Jones I, Gill M, O'Donovan MC, Owen MJ, Craddock N, Kirov G: Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to *DISC1*, and suggestive evidence at 22q11 and 19p13, 1081 (Oc)
Haq N see Schmidt PJ
Hariri AR, Drabant EM, Munoz KE, Kolachana BS, Mattay VS, Egan MF, Weinberger DR: Susceptibility gene for affective disorders and the response of the human amygdala, 146 (Fe)
Harpole L see Katon WJ
Harris JC:
Arrangement in Grey and Black, No. 1: Portrait of the Painter's Mother 1295 (De)
Clinical Lesson at the Salpêtrière 470 (My)
Excavation 359 (Ap)
Gassed 15 (Ja)
Gulliver's Travels: the *Struldbruggs* 243 (Mr)
Hypnotic Session 588 (Je)
Jeanne Hebuterne 710 (Jy)
Lapin Agile in Winter 1070 (Oc)
Metamorphosis of Narcissus, 124 (Fe); correction, 613 (Je)
Portrait of the Family 932 (Se)
The Hangover (Gueule de Bois) 824 (Au)
The Mediterranean at Genoa 1181 (No)
Hart SL see Mohr DC
Harvey PD see Reichenberg A
Hasin DS, Goodwin RD, Stinson FS, Grant BF: Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions, 1097 (Oc)
Hasin DS see Caton CLM
Hayden D see Henderson DC
Hazlett HC, Poe M, Gerig G, Smith RG, Provenzale J, Ross A, Gilmore J, Piven J: Magnetic resonance imaging and head circumfereace study of brain size in autism: birth through age 2 years, 1366 (De)
Healy D see Day JC
Heinz A, Reimold M, Wrase J, Hermann D, Croissant B, Mundle G, Dohmen BM, Braus DH, Schumann G, Machulla H-J, Bares R, Mann K: Correlation of stable elevations in striatal μ-opioid receptor availability in detoxified alcoholic patients with alcohol craving: a positron emission tomography study using carbon 11—labeled carfentanil, 57 (Ja); correction, 983 (Se)
Henderson DC, Cagliero E, Copeland PM, Borba CP, Evins E, Hayden D, Weber MT, Anderson EJ, Allison DB, Daley TB, Schoenfeld D, Goff DC: Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis, 19 (Ja)
Hennah W see Cannon TD
Henry R see Palmer BW
Henry SE see Bailer UF
Herman DS see Stein MD
Hermann C see Birbaumer N
Hermann D see Heinz A
Heron J see Green EK
Herrmann N see Tremblay LK
Hesselbrock V see Culverhouse R; Nurnberger JI Jr
Hettema JM, Prescott CA, Myers JM, Neale MC, Kendler KS: Structure of genetic and environmental risk factors for anxiety disorders in men and women, 182 (Fe)
Hevenor S see Tremblay LK
Hewitt JK see Stallings MC
HGDH Study Group see Lieberman JA
Hietala J see Hirvonen J
Himmelhoch JM see Salloum IM
Hinrichs AL see Nurnberger JI Jr
Hirvonen J, van Erp TGM, Huttunen J, Aalto S, Någren K, Huttunen M, Lönnqvist J, Kaprio J, Hietala J, Cannon TD: Increased caudate dopamine D_2 receptor availability as a genetic marker for schizophrenia, 371 (Ap)
Hitsman B see Koenen KC
Hoge J see Bailer UF
Hollon SD, DeRubeis RJ, Shelton RC, Amsterdam JD, Salomon RM, O'Reardon JP, Lovett ML, Young PR, Haman KL, Freeman BB, Gallop R: Prevention of relapse following cognitive therapy vs medications in moderate to severe depression, 417 (Ap)
Hollon SD see DeRubeis RJ
Holmans P see Hamshere ML
Honer WG see Sawada K
Honos-Webb L see Mohr DC
Hoptman MJ see Butler PD
Hornbrook M see Lynch FL
Horwood LJ see Fergusson DM
Houck PR see Frank E; Rollman BL
Hoven CW, Duarte CS, Lucas CP, Wu P, Mandell DJ, Goodwin RD, Cohen M, Balaban V, Woodruff BA, Bin F, Musa GJ, Mei L, Cantor PA, Aber JL, Cohen P, Susser E: Psychopathology among New York City public school children 6 months after September 11, 545 (My)
Howland R see Schatzberg AF
Hughett P see Davatzikos C
Hummer M see Kemmler G
Hunkeler E see Katon WJ
Hur K see Gibbons RD
Huskamp HA, Deverka PA, Epstein AM, Epstein RS, McGuigan KA, Muriel AC, Frank RG: Impact of 3-tier formularies on drug treatment of attention-deficit/hyperactivity disorder in children, 435 (Ap)
Huttunen J see Hirvonen J
Huttunen M see Cannon TD; Hirvonen J
Hyde S see Green EK

I

IMPACT Investigators see Katon WJ
Inan S see Morey RA
Innis RB see Staley JK
Insel TR, Fenton WS: Psychiatric epidemiology: it's not just about counting anymore, 590 (Je)
Iwata N see Radel M

J

Jaffe AS see Taylor CB
Jatlow PI see Sacco KA; Staley JK
Javitt DC see Butler PD
Jeste DV see Palmer BW
Jin R see Kessler RC
Johnson EO see Breslau N
Jones EG see Akbarian S
Jones I see Green EK; Hamshere ML
Jones L see Green EK; Hamshere ML
Jones P see Marshall M
Jorge RE, Starkstein SE, Arndt S, Moser D, Crespo-Facorro B, Robinson RG: Alcohol misuse and mood disorders following traumatic brain injury, 742 (Jy)
Josic CP see Levin HS
Judd LL, Akiskal HS, Schettler PJ, Endicott J, Leon AC, Solomon DA, Coryell W, Maser JD, Keller MB: Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study, 1322 (De)
Julian L see Mohr DC

K

Kahn RS see Lieberman JA
Kapke A see Breslau N
Kaprio J see Cannon TD; Hirvonen J
Karlsgodt K see Cannon TD
Kassam-Adams N, Garcia-Espaňa JF, Fein JA, Winston FK: Heart rate and posttraumatic stress in injured children, 335 (Mr)
Katon WJ, Schoenbaum M, Fan M, Callahan CM, Williams J Jr, Hunkeler E, Harpole L, Zhou X-HA, Langston C, Unützer J, IMPACT Investigators: Cost-effectiveness of improving primary care treatment of late-life depression, 1313 (De)
Katon WJ see Roy-Byrne PP
Kaufmann PG see Taylor CB
Kaye WH see Bailer UF
Keck PE Jr see Strakowski SM; Suppes T
Keefe RSE see Lieberman JA
Keilp J see Milak MS
Keller MB see Judd LL; Schatzberg AF
Kemmler G, Hummer M, Widschwendter C, Fleischhacker WW: Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis, 1305 (De)
Kendler KS, Kuhn JW, Vittum J, Prescott CA, Riley B: Interaction of stressful life events and a serotonin transporter polymorphism in the prediction of episodes of major depression: a replication, 529 (My)
Kendler KS see Hettema JM
Kenemans JL see Bekker EM
Kessing LV, Søndergård L, Kvist K, Andersen PK: Suicide risk in patients treated with lithium, 860 (Au)
Kessler RC, Berglund P, Demler O, Jin R, Walters EE, Merikangas KR: Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication, 593 (Je); correction, 768 (Jy)
Kessler RC, Chiu WT, Demler O, Walters EE, Merikangas KR: Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication, 617 (Je); correction, 709 (Jy)
Kessler RC see Wang PS
Khachaturian AS see Zandi PP
Khan S see Abelson JL
Kiecolt-Glaser JK, Loving TJ, Stowell JR, Malarkey WB, Lemeshow S, Dickinson SL, Glaser R: Hostile marital interactions, proinflammatory cytokine production, and wound healing, 1377 (De)
Kile S see Nordahl TE
Killeen T see Petry NM
Kim J see Cannon TD
Kim-Cohen J, Moffitt TE, Taylor A, Pawlby SJ, Caspi A: Maternal depression and children's antisocial behavior: nature and nurture effects, 173 (Fe)
King L see Nurnberger JI Jr
Kirby KC see Petry NM
Kirisci L see Salloum IM
Kirov G see Green EK; Hamshere ML
Klein DN see Schatzberg AF
Klein RG see Pine DS
Knobler HY see Reichenberg A
Kocsis JH see Schatzberg AF
Koenen KC, Hitsman B, Lyons MJ, Niaura R, McCaffery J, Goldberg J, Eisen SA, True W, Tsuang M: Twin registry study of the relationship between posttraumatic stress disorder and nicotine dependence in men, 1258 (No)
Kohn PD see Meyer-Lindenberg S
Kolachana BS see Hariri AR
Kollins SH, McClernon FJ, Fuemmeler BF: Association between smoking and attention-deficit/hyperactivity disorder symptoms in a population-based sample of young adults, 1142 (Oc)
Kolodner K see Petry NM
Kooij JJS see Bekker EM
Kornstein SG see Schatzberg AF
Kraemer HC see Halmi KA
Krangel TS see Shin LM
Krauter KS see Stallings MC
Krishnan KRR see Taylor CB; Taylor WD
Krishnan-Sarin S see Sacco KA
Krueger RF see Markon KE
Krupnick J see Revicki DA
Krystal JH, Perry EB Jr, Gueorguieva R, Belger A, Madonick SH, Abi-Dargham A, Cooper TB, MacDougall L, Abi-Saab W, D'Souza DC: Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function, 985 (Se)
Krystal JH see Staley JK
Kuchipudi K see Zhou Z
Kuhn JW see Kendler KS
Kuperman S see Nurnberger JI Jr
Kupfer DJ see Frank E; Nofzinger EA
Kupka RW see Suppes T
Kvist K see Kessing LV

L

Labouriau R see Laursen TM
Lahey BB, Pelham WE, Loney J, Lee SS, Willcutt E: Instability of the *DSM-IV* subtypes of ADHD from preschool through elementary school, 896 (Au)
Lambert D see Hamshere ML
Lane H-Y, Chang Y-C, Liu Y-C, Chiu C-C, Tsai GE: Sarcosine or D-serine add-on treatment for acute exacerbation of schizophrenia: a randomized, double-blind, placebo-controlled study, 1196 (No)
Lane M see Wang PS
Langley K see Thapar A
Langston C see Katon WJ
Lasko NB see Shin LM
Laursen TM, Labouriau R, Licht RW, Bertelsen A, Munk-Olsen T, Mortensen PB: Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study, 841 (Au)
Lee SS see Lahey BB
Leff HS see Cook JA
Leibenluft E see Dickstein DP
Lemeshow S see Kiecolt-Glaser JK
Leon AC see Judd LL
Lessem JM see Stallings MC
Leventhal T see Xue Y
Leverich GS see Suppes T
Levin HS, McCauley SR, Josic CP, Boake C, Brown SA, Goodman HS, Merritt SG, Brundage SI: Predicting depression following mild traumatic brain injury, 523 (My)
Lewis S see Marshall M
Li R see Petry NM
Liberzon I see Abelson JL
Licht RW see Laursen TM
Lieberman JA see Morey RA
Lieberman JA, Tollefson GD, Charles C, Zipursky R, Sharma T, Kahn RS, Keefe RSE, Green AI, Gur RE, McEvoy J, Perkins DO, Hamer RM, Gu H, Tohen M, HGDH Study Group: Antipsychotic drug effects on brain morphology in first-episode psychosis, 361 (Ap)
Liebert M see Petry NM
Liebowitz MR, Gelenberg AJ, Munjack D: Venlafaxine extended release vs placebo and paroxetine in social anxiety disorder, 190 (Fe)
Light GA, Braff DL: Mismatch negativity deficits are associated with poor functioning in schizophrenia patients, 127 (Fe)
Lim KO see Butler PD; Szeszko PR
Lipsky R see Zhou Z
Liu D see Davatzikos C
Liu Y-C see Lane H-Y
Lockwood A see Marshall M
Loney J see Lahey BB
Long JC see Radel M
Lonnqvist J see Cannon TD
Lönnqvist J see Hirvonen J
Lotze M see Birbaumer N
Lovestone S see Beacher F
Lovett ML see DeRubeis RJ; Hollon SD
Loving TJ see Kiecolt-Glaser JK
Lubin G see Reichenberg A
Lucas CP see Hoven CW
Luiz LA see Akbarian S
Lydiard RB see Rickels K
Lynch FL, Hornbrook M, Clarke GN, Perrin N, Polen MR, O'Connor E, Dickerson J: Cost-effectiveness of an intervention to prevent depression in at-risk teens, 1241 (No)
Lynch KG see McKay JR
Lyons MJ see Koenen KC

M

Macdonald M see Petry NM
MacDougall L see Krystal JH
MacFall JR see Taylor WD
Macgregor S see Green EK
Machulla H-J see Heinz A
Macklin ML see Shin LM
Madonick SH see Krystal JH
Maffei C see Battaglia M
Makuch RW see Woods SW
Malarkey WB see Kiecolt-Glaser JK
Malhotra AK see Szeszko PR
Mallinger AG see Frank E
Malone KM see Milak MS
Manber R see Schatzberg AF
Mandell DJ see Hoven CW
Mangano D see Gehi A
Mann JJ see Gibbons RD; Milak MS
Mann K see Heinz A
Mannuzza S see Pine DS
Manson SM see Beals J
Marchuk DA see Taylor WD
Marcus SC see Olfson M
Margallo-Lana ML see Beacher F
Marin DB see Silverman JM
Marino C see Battaglia M
Markon KE, Krueger RF: Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC, 1352 (De)
Markowitz JC see Schatzberg AF
Marsch LA, Bickel WK, Badger GJ, Stothart ME, Quesnel KJ, Stanger C, Brooklyn J: Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial, 1157 (Oc)
Marshall M, Lewis S, Lockwood A, Drake R, Jones P, Croudace T: Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review, 975 (Se)
Martis B see Shin LM
Maser JD see Judd LL
Mathis CA see Bailer UF
Mattay VS see Hariri AR
Mayberg HS see Tremblay LK
Mazumdar S see Rollman BL
Mazziotta J see Cannon TD
McCaffery J see Koenen KC
McCauley SR see Levin HS
McClelland GM see Teplin LA
McClernon FJ see Kollins SH
McConaha CW see Bailer UF
McElroy SL see Suppes T
McEvoy J see Lieberman JA
McFarlane WR see Cook JA
McGuigan KA see Huskamp HA
McKay JR, Lynch KG, Shepard DS, Pettinati HM: Effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes, 199 (Fe)
McMullin K see Shin LM
Meeter M see Talamini LM
Mei L see Hoven CW
Mellman T see Taylor CB
Meltzer CC see Bailer UF; Nofzinger EA
Merikangas KR see Kessler RC
Merkelbach J see van den Heuvel OA
Merritt SG see Levin HS
Meyer ET see Nurnberger JI Jr
Meyer-Lindenberg S, Olsen RK, Kohn PD Brown T, Egan MF, Weinberger DR, Berman KF: Regionally specific disturbance of dorsolateral prefrontal–hippocampal functional connectivity in schizophrenia, 379 (Ap)
Miewald JM see Nofzinger EA
Mikulich-Gilbertson SK see Stallings MC
Milak MS, Parsey RV, Keilp J, Oquendo MA, Malone KM, Mann JJ: Neuroanatomic correlates of psychopathologic components of major depressive disorder, 397 (Ap)
Milham MP see Dickstein DP
Miller I see Schatzberg AF
Miller IW see Stein MD
Mintz J see Suppes T
Miranda J see Revicki DA
Mitchell CM see Beals J
Mitchell J see Halmi KA
Mitchell TV see Morey RA
Moffitt TE, Caspi A, Rutter M: Strategy for investigating interactions between measured genes and measured environments, 473 (My)
Moffitt TE see Kim-Cohen J; Slutske WS
Mohr DC, Hart SL, Julian L, Catledge C, Honos-Webb L, Vella L, Tasch ET: Telephone-administered psychotherapy for depression, 1007 (Se)
Monk T see Frank E
Moore CD see Nordahl TE
Morey RA, Inan S, Mitchell TV, Perkins DO, Lieberman JA, Belger A: Imaging frontostriatal function in ultra-high-risk, early, and chronic schizophrenia during executive processing, 254 (Mr)
Morris R see Beacher F
Mortensen PB see Laursen TM
Moser D see Jorge RE
Moulton JL III see Pine DS
Mudaliar S see Palmer BW
Mueser KT see Cook JA
Mundle G see Heinz A
Munjack D see Liebowitz MR
Munk-Olsen T see Laursen TM
Munoz KE see Hariri AR
Muriel AC see Huskamp HA
Murphy DGM see Beacher F
Murphy JH see Schmidt PJ
Murphy K see Beacher F
Murre JMJ see Talamini LM
Musa GJ see Hoven CW
Myers JM see Hettema JM

N

Nägren K see Hirvonen J
Nahon D see Reichenberg A
Nakamura M see Sawada K
Naranjo CA see Tremblay LK
Natsuaki Y see Nordahl TE
Neale MC see Hettema JM
Niaura R see Koenen KC
Ninan PT see Schatzberg AF

Nofzinger EA, Buysse DJ, Germain A, Price JC, Meltzer CC, Miewald JM, Kupfer DJ: Alterations in regional cerebral glucose metabolism across waking and non–rapid eye movement sleep in depression, 387 (Ap)
Nolen WA see Suppes T
Nomura Y see Weissman MM
Nordahl TE, Salo R, Natsuaki Y, Galloway GP, Waters C, Moore CD, Kile S, Buonocore MH: Methamphetamine users in sustained abstinence: a proton magnetic resonance spectroscopy study, 444 (Ap)
Nordentoft M see Qin P
Norton M see Zandi PP
Norton N see Hamshere ML
Novins DK see Beals J
Nuechterlein KH see Cannon TD
Nugent AC see Dickstein DP
Nurnberger JI Jr see Culverhouse R
Nurnberger JI Jr, Wiegand R, Bucholz KK, O'Connor S, Meyer ET, Reich T, Rice J, Schuckit MA, King L, Petti T, Bierut LJ, Hinrichs AL, Kuperman S, Hesselbrock V, Porjesz B: Family study of alcohol dependence: coaggregation of multiple disorders in relatives of alcohol-dependent probands, 61:1246 (Au); correction, 62:848 (Au)

O

Obert J see Petry NM
O'Brien CP: Adolescent opioid abuse, 1165 (Oc)
O'Connor E see Lynch FL
O'Connor S see Nurnberger JI Jr
O'Donovan M see Green EK; Hamshere ML; Thapar A
Ogliari A see Battaglia M
Olfson M, Gameroff MJ, Marcus SC, Greenberg T, Shaffer D: Emergency treatment of young people following deliberate self-harm, 1122 (Oc)
Olfson M see Wang PS
Olsen RK see Meyer-Lindenberg S
O'Malley S see Staley JK
Oquendo MA see Milak MS
Orav EJ see Barsky AJ
O'Reardon JP see DeRubeis RJ
O'Reardon JP see Hollon SD
Orr SP see Shin LM
Overtoom CCE see Bekker EM
Owen M see Green EK; Hamshere ML; Thapar A

P

Palmer BA, Pankratz S, Bostwick JM: Lifetime risk of suicide in schizophrenia: a reexamination, 247 (Mr)
Palmer BW, Dunn LB, Appelbaum PS, Mudaliar S, Thal L, Henry R, Golshan S, Jeste DV: Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument, 734 (Jy)
Pande AC see Rickels K
Pankratz S see Palmer BA
Parsey RV see Milak MS
Paulus MP, Feinstein JS, Castillo G, Simmons AN, Stein MB: Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing, 282 (Mr)
Paulus MP, Tapert SF, Schuckit MA: Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse, 761 (Jy)
Pawlby SJ see Kim-Cohen J
Payne ME see Taylor WD
Peirce JM see Petry NM
Pelham WE see Lahey BB
Peltonen L see Cannon TD
Peranelli AC see Akbarian S
Perkins DO see Lieberman JA; Morey RA
Perrin N see Lynch FL
Perry EB Jr see Krystal JH; Staley JK
Peterson EL see Breslau N
Petrakis IL see Staley JK
Petry NM, Peirce JM, Stitzer ML, Blaine J, Roll JM, Cohen A, Obert J, Killeen T, Saladin ME, Cowell M, Kirby KC, Sterling R, Royer-Malvestuto C, Hamilton J, Booth RE, Macdonald M, Liebert M, Radar L, Burns R, DiMaria J, Copersino M, Stabile PQ, Kolodner K, Li R: Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a National Drug Abuse Treatment Clinical Trials Network Study, 1148 (Oc)
Petti T see Nurnberger JI Jr
Pettinati HM see McKay JR
Phillips AG see Sawada K
Pickworth WB see van den Bree MBM
Pilowsky DJ see Weissman MM
Pincus HA see Wang PS
Pine DS, Klein RG, Roberson-Nay R, Mannuzza S, Moulton JL III, Woldehawariat G, Guardino M: Response to 5% carbon dioxide in children and adolescents: relationship to panic disorder in parents and anxiety disorders in subjects, 73 (Ja)
Pine DS see Dickstein DP
Pipkin S see Gehi A
Pirkola T see Cannon TD
Pitman RK see Shin LM
Piven J see Hazlett HC
Poe M see Hazlett HC
Polen MR see Lynch FL
Pollack MH see Rickels K
Pomara N, Willoughby L, Wesnes K, Greenblatt DJ, Sidtis JJ: Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults, 209 (Fe)
Porjesz B see Culverhouse R; Nurnberger JI Jr
Post RM see Suppes T
Potenza MN, Xian H, Shah KR, Scherrer JF, Eisen SA: Shared genetic contributions to pathological gambling and major depression in men, 1015 (Se)
Poulton R see Slutske WS
Power C see Day JC
Pozzoli U see Battaglia M
Prasad M see Revicki DA
Prasher V see Beacher F
Prescott CA see Hettema JM; Kendler KS
Price JC see Bailer UF; Nofzinger EA
Provenzale J see Hazlett HC

Q

Qin P, Nordentoft M: Suicide risk in relation to psychiatric hospitalization: evidence based on longitudinal registers, 427 (Ap)
Quesnel KJ see Marsch LA

R

Rabinowitz J see Reichenberg A
Radar L see Petry NM
Radel M, Vallejo RL, Iwata N, Aragon R, Long JC, Virkkunen M, Goldman D: Haplotype-based localization of an alcohol dependence gene to the 5q34 γ-aminobutyric acid type A gene cluster, 47 (Ja)
Rae P see Day JC
Ramsey SE see Stein MD
Randall F see Day JC
Rapp MA see Reichenberg A
Rauch SL see Shin LM
Raybould R see Green EK
Razzano LA see Cook JA
Reboussin BA see Breslau N
Reich T see Culverhouse R; Nurnberger JI Jr
Reichenberg A, Weiser M, Rapp MA, Rabinowitz J, Caspi A, Schmeidler J, Knobler HY, Lubin G, Nahon D, Harvey PD, Davidson M: Elaboration on premorbid intellectual performance in schizophrenia: premorbid intellectual decline and risk for schizophrenia, 1297 (De)
Reimold M see Heinz A
Research Units on Pediatric Psychopharmacology (RUPP) Autism Network: Randomized, controlled, crossover trial of methylphenidate in pervasive developmental disorders with hyperactivity, 1266 (No)
Revheim N see Butler PD
Revicki DA, Siddique J, Frank L, Chung JY, Green BL, Krupnick J, Prasad M, Miranda J: Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women, 868 (Au)
Reynolds CF III see Rollman BL
Rhee SH see Stallings MC
Rice F see Thapar A
Rice J see Nurnberger JI Jr
Rickels K, Pollack MH, Feltner DE, Lydiard RB, Zimbroff DL, Bielski RJ, Tobias K, Brock JD, Zornberg GL, Pande AC: Pregabalin for treatment of generalized anxiety disorder: a 4-week, multicenter, double-blind, placebo-controlled trial of pregabalin and alprazolam, 1022 (Se)
Ridder EM see Fergusson DM
Riley B see Kendler KS
Risser R see Tohen M
Roberson-Nay R see Pine DS
Roberts C see Day JC
Roberts RC see Akbarian S
Robinson DG see Szeszko PR
Robinson RG see Jorge RE
Roehrs T see Breslau N
Rogers A see Day JC
Roll JM see Petry NM
Rollman BL, Belnap BH, Mazumdar S, Houck PR, Zhu F, Gardner W, Reynolds CF III, Schulberg HC, Shear MK: Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care, 1332 (De)
Rosenberg RN: Translational research on the way to effective therapy for Alzheimer disease, 1186 (No)
Ross A see Hazlett HC
Roth T see Breslau N
Rothbaum BO see Schatzberg AF
Roy A see Zhou Z
Roy-Byrne PP, Craske MG, Stein MB, Sullivan G, Bystritsky A, Katon WJ, Golinelli D, Sherbourne CD: Randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder, 290 (Mr)
Royer-Malvestuto C see Petry NM
Rubinow DR see Schmidt PJ
Ruehl MG see Akbarian S
Ruff E see Staley JK
Rush AJ see Schatzberg AF; Suppes T
Rutter M see Moffitt TE

S

Sacco KA, Termine A, Seyal A, Dudas MM, Vessicchio JC, Krishnan-Sarin S, Jatlow PI, Wexler BE, George TP: Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms, 649 (Je)
Saladin ME see Petry NM
Salloum IM, Cornelius JR, Daley DC, Kirisci L, Himmelhoch JM, Thase ME: Efficacy of valproate maintenance in patients with bipolar disorder and alcoholism: a double-blind placebo-controlled study, 37 (Ja)
Salo R see Nordahl TE
Salomon RM see DeRubeis RJ; Hollon SD
Samet S see Caton CLM
Saperstein AM see Butler PD
Sareen J, Cox BJ, Afifi TO, de Graaf R, Asmundson GJG, ten Have M, Stein MB: Anxiety disorders and risk for suicidal ideation and suicide attempts: a population-based longitudinal study of adults, 1249 (No)
Sawada K, Barr AM, Nakamura M, Arima K, Young CE, Dwork AJ, Falkai P, Phillips AG, Honer WG: Hippocampal complexin proteins and cognitive dysfunction in schizophrenia, 263 (Mr)
Schanzer B see Caton CLM
Schatzberg AF, Rush AJ, Arnow BA, Banks PLC, Blalock JA, Borian FE, Howland R, Klein DN, Kocsis JH, Kornstein SG, Manber R, Markowitz JC, Miller I, Ninan PT, Rothbaum BO, Thase ME, Trivedi MH, Keller MB: Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not, 513 (My)
Schechter I see Butler PD
Scherrer JF see Potenza MN
Scherrer JF, Xian H, Shah KR, Volberg R, Slutske WS, Eisen SA: Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers, 677 (Je)
Schettler PJ see Judd LL
Schmeidler J see Reichenberg A
Schmidt PJ, Daly RC, Bloch M, Smith MJ, Danaceau MA, St Clair LS, Murphy JH, Haq N, Rubinow DR: Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression, 154 (Fe)
Schnaider-Beeri M see Silverman JM
Schneider JA see Barnes LL
Schoenbaum M see Katon WJ
Schoenfeld D see Henderson DC
Schuckit MA see Culverhouse R; Nurnberger JI Jr; Paulus MP
Schulberg HC see Rollman BL
Schultz L see Breslau N
Schumann G see Heinz A
Scott J see Frank E
Segurado R see Hamshere ML
Seibyl JP see Staley JK
Seyal A see Sacco KA
Shafer MS see Cook JA
Shaffer D see Olfson M
Shah KR see Potenza MN; Scherrer JF
Sharma T see Lieberman JA
Shear MK see Rollman BL
Shelton RC see DeRubeis RJ; Hollon SD
Shen D see Davatzikos C
Shepard DS see McKay JR
Sherbourne CD see Roy-Byrne PP
Shin LM, Wright CI, Cannistraro PA, Wedig MM, McMullin K, Martis B, Macklin ML, Lasko NB, Cavanagh SR, Krangel TS, Orr SP, Pitman RK, Whalen PJ, Rauch SL: Functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder, 273 (Mr)
Shirinyan D see Cannon TD
Shrout PE see Caton CLM
Shuster J see Taylor CB
Siddique J see Revicki DA
Sidtis JJ see Pomara N
Silipo G see Butler PD
Silverman JM, Ciresi G, Smith CJ, Marin DB, Schnaider-Beeri M: Variability of familial risk of Alzheimer disease across the late life span, 565 (My)
Simmons A see Beacher F
Simmons AN see Paulus MP
Slutske WS: Alcohol use disorders among US college students and their non–college-attending peers, 321 (Mr)
Slutske WS, Caspi A, Moffitt TE, Poulton R: Personality and problem gambling: a prospective study of a birth cohort of young adults, 769 (Jy)
Slutske WS see Scherrer JF
Smith CJ see Silverman JM
Smith MJ see Schmidt PJ
Smith RG see Hazlett HC
Smolen A see Stallings MC
Solomon DA see Judd LL; Stein MD

Søndergård L see Kessing LV
Sparks DL see Zandi PP
Spicer P see Beals J
St Clair LS see Schmidt PJ
Stabile PQ see Petry NM
Staley JK, Gottschalk C, Petrakis IL, Gueorguieva R, O'Malley S, Baldwin R, Jatlow PI, Verhoeff NPLG, Perry EB Jr, Weinzimmer D, Frohlich E, Ruff F, van Dyck CH, Seibyl JP, Innis RB, Krystal JH: Cortical γ-aminobutyric acid type a–benzodiazepine receptors in recovery from alcohol dependence: relationship to features of alcohol dependence and cigarette smoking, 877 (Au)
Stallings MC, Corley RP, Dennehey B, Hewitt JK, Krauter KS, Lessem JM, Mikulich-Gilbertson SK, Rhee SH, Smolen A, Young SE, Crowley TJ: Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence, 1042 (Se)
Stanger C see Marsch LA
Starkstein SE see Jorge RE
Steffens DC see Taylor WD
Stein MB see Paulus MP; Roy-Byrne PP; Sareen J
Stein MD, Solomon DA, Herman DS, Anthony JL, Ramsey SE, Anderson BJ, Brown R, Miller IW: Pharmacotherapy plus psychotherapy for treatment of depression in active injection drug users, 61:61 (Fe); correction, 62: 224 (Fe)
Steinberg M see Zandi PP
Sterling R see Petry NM
Stinson FS see Hasin DS
Stitzer ML see Petry NM
Storr CL see Breslau N
Stothart ME see Marsch LA
Stowell JR see Kiecolt-Glaser JK
Strakowski SM, DelBello MP, Fleck DE, Adler CM, Anthenelli RM, Keck PE Jr, Arnold LM, Amicone J: Effects of co-occurring alcohol abuse on the course of bipolar disorder following a first hospitalization for mania, 851 (Au)
Sullivan G see Roy-Byrne PP
Suppes T, Mintz J, McElroy SL, Altshuler LL, Kupka RW, Frye MA, Keck PE Jr, Nolen WA, Leverich GS, Grunze H, Rush AJ, Post RM: Mixed hypomania in 908 patients with bipolar disorder evaluated prospectively in the Stanley Foundation Bipolar Treatment Network: a sex-specific phenomenon, 1089 (Oc)
Susser E see Hoven CW
Svenson IK see Taylor WD
Swartz HA see Frank E
Szeszko PR, Ardekani BA, Ashtari M, Malhotra AK, Robinson DG, Bilder RM, Lim KO: White matter abnormalities in obsessive-compulsive disorder: a diffusion tensor imaging study, 782 (Jy)

T

Talamini LM, Meeter M, Elvevåg B, Murre JMJ, Goldberg TE: Reduced parahippocampal connectivity produces schizophrenia-like memory deficits in simulated neural circuits with reduced parahippocampal connectivity, 485 (My)
Tamminga CA see Akbarian S
Tapert SF see Paulus MP
Tasch ET see Mohr DC
Taubman J see Zhou Z
Taylor A see Kim-Cohen J
Taylor CB, Youngblood ME, Catellier D, Veith RC, Carney RM, Burg MM, Kaufmann PG, Shuster J, Mellman T, Blumenthal JA, Krishnan KRR, Jaffe AS, ENRICHD Investigators: Effects of antidepressant medication on morbidity and mortality in depressed patients after myocardial infarction, 792 (Jy)
Taylor WD, Steffens DC, Payne ME, MacFall JR, Marchuk DA, Svenson IK, Krishnan KRR: Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression, 537 (My)
ten Have M see Sareen J
Teplin LA, McClelland GM, Abram KM, Weiner DA: Crime victimization in adults with severe mental illness: comparison with the National Crime Victimization Survey, 911 (Au)
Termine A see Sacco KA
Thal L see Palmer BW
Thapar A, Langley K, Fowler T, Rice F, Turic D, Whittinger N, Aggleton J, Van den Bree M, Owen M, O'Donovan M: Catechol O-methyltransferase gene variant and birth weight predict early-onset antisocial behavior in children with attention-deficit/hyperactivity disorder, 1275 (No)
Thase ME see Frank E; Salloum IM; Schatzberg AF
Thompson PM see Cannon TD
Thompson W see Frank E
Tobias K see Rickels K
Toga AW see Cannon TD
Tohen M, Risser R: Olanzapine and olanzapine-fluoxetine combination treatment and bipolar I depression (letter) 1052 (Se)
Tohen M see Lieberman JA
Tollefson GD see Lieberman JA
Toprac MG see Cook JA
Tremblay LK, Naranjo CA, Graham SJ, Herrmann N, Mayberg HS, Hevenor S, Busto UE: Functional neuroanatomical substrates of altered reward processing in major depressive disorder revealed by a dopaminergic probe, 1228 (No)
Trivedi MH see Schatzberg AF
True W see Koenen KC
Tsai GE see Lane H-Y
Tschanz J see Zandi PP
Tsuang M see Koenen KC
Turetsky BI see Davatzikos C
Turic D see Thapar A
Tuulio-Henriksson A see Cannon TD

U

Unützer J see Katon WJ

V

Vallejo RL see Radel M
van Balkom AJLM see van den Heuvel OA
Van den Bree M see Thapar A
van den Bree MBM, Pickworth WB: Risk factors predicting changes in marijuana involvement in teenagers, 311 (Mr)
van den Heuvel OA, Veltman DJ, Groenewegen HJ, Cath DC, van Balkom AJLM, van Hartskamp J, Barkhof F, van Dyck R: Frontal-striatal dysfunction during planning in obsessive-compulsive disorder, 301 (Mr)
van den Heuvel OA, Veltman DJ, Groenewegen HJ, Witter MP, Merkelbach J, Cath DC, van Balkom AJLM, van Oppen P, van Dyck R: Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis, 922 (Au)
van Dyck CH see Staley JK
van Dyck R see van den Heuvel OA
Van Erp TGM see Cannon TD; Hirvonen J
van Hartskamp J see van den Heuvel OA
van Oppen P see van den Heuvel OA
Veit R see Birbaumer N
Veith RC see Taylor CB
Vella L see Mohr DC
Veltman DJ see van den Heuvel OA
Verbaten MN see Bekker EM
Verdeli H see Weissman MM
Verhoeff NPLG see Staley JK
Vessicchio JC see Sacco KA
Virkkunen M see Radel M; Zhou Z
Vittum J see Kendler KS
Volberg R see Scherrer JF

W

Wagner A see Bailer UF
Walters EE see Kessler RC
Wang PS, Berglund P, Olfson M, Pincus HA, Wells KB, Kessler RC: Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication, 603 (Je)
Wang PS, Lane M, Olfson M, Pincus HA, Wells KB, Kessler RC: Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication, 629 (Je)
Warner V see Weissman MM
Waters C see Nordahl TE
Weber MT see Henderson DC
Wedig MM see Shin LM
Weinberger DR see Hariri AR; Meyer-Lindenberg S
Weiner DA see Teplin LA
Weinzimmer D see Staley JK
Weiser M see Reichenberg A
Weissfeld L see Bailer UF
Weissman MM, Wickramaratne P, Nomura Y, Warner V, Verdeli H, Pilowsky DJ, Grillon C, Bruder G: Families at high and low risk for depression: a 3-generation study, 29 (Ja)
Wells KB see Wang PS
Welsh-Bohmer KA see Zandi PP
Werner E, Dawson G: Validation of the phenomenon of autistic regression using home videotapes, 889 (Au)
Wesnes K see Pomara N
Wexler BE see Sacco KA
Whalen PJ see Shin LM
Whitesell NR see Beals J
Whittinger N see Thapar A
Whooley MA see Gehi A
Wickramaratne P see Weissman MM
Widschwendter C see Kemmler G
Wiegand R see Nurnberger JI Jr
Willcutt E see Lahey BB
Williams AB, Adetunji BA: Olanzapine and olanzapine-fluoxetine combination treatment and bipolar I depression (letter) 1052 (Se)
Williams H see Hamshere ML
Williams J Jr see Katon WJ
Williams N see Green EK; Hamshere ML
Willoughby L see Pomara N
Wilson GT see Halmi KA
Wilson RS see Barnes LL
Winston FK see Kassam-Adams N
Witter MP see van den Heuvel OA
Woldehawariat G see Pine DS
Woodruff BA see Hoven CW
Woods SW, Gueorguieva R, Baker CB, Makuch RW: Control group bias in randomized atypical antipsychotic medication trials for schizophrenia, 961 (Se)
Wrase J see Heinz A
Wright CI see Shin LM
Wu P see Hoven CW
Wu X see Davatzikos C

X

Xian H see Potenza MN; Scherrer JF
Xue Y, Leventhal T, Brooks-Gunn J, Earls FJ: Neighborhood residence and mental health problems of 5- to 11-year-olds, 554 (My)

Y

Young CE see Sawada K
Young EA see Abelson JL
Young PR see DeRubeis RJ; Hollon SD
Young SE see Stallings MC
Youngblood ME see Taylor CB

Z

Zandi PP, Sparks DL, Khachaturian AS, Tschanz J, Norton M, Steinberg M, Welsh-Bohmer KA, Breitner JCS, Cache County Study Investigators: Do statins reduce risk of incident dementia and Alzheimer disease? the Cache County Study, 217 (Fe)
Zanoni A see Battaglia M
Zemon V see Butler PD
Zhou X-HA see Katon WJ
Zhou Z, Roy A, Lipsky R, Kuchipudi K, Zhu G, Taubman J, Enoch M-A, Virkkunen M, Goldman D: Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations, 1109 (Oc)
Zhu F see Rollman BL
Zhu G see Zhou Z
Zimbroff DL see Rickels K
Ziolko SK see Bailer UF
Zipursky R see Lieberman JA
Zornberg GL see Rickels K

The following index is an alphabetical list of significant subjects presented in this volume.

A

ACTH see Corticotropin

Activities of Daily Living
Mismatch negativity deficits are associated with poor functioning in schizophrenia patients [Light] 127 (Fe)

Adolescent
Adolescent opioid abuse [O'Brien] 1165 (Oc)
Alcohol use disorders among US college students and their non–college-attending peers [Slutske] 321 (Mr)
Association between smoking and attention-deficit/hyperactivity disorder symptoms in a population-based sample of young adults [Kollins] 1142 (Oc)
Cost-effectiveness of an intervention to prevent depression in at-risk teens [Lynch] 1241 (No)
Emergency treatment of young people following deliberate self-harm [Olfson] 1122 (Oc)
Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence [Stallings] 1042 (Se)
Risk factors predicting changes in marijuana involvement in teenagers [van den Bree] 311 (Mr)
Subthreshold depression in adolescence and mental health outcomes in adulthood [Fergusson] 66 (Ja)

Affective Disorders see Mood Disorders

Age of Onset
Cost-effectiveness of improving primary care treatment of late-life depression [Katon] 1313 (De)
Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression [Taylor] 537 (My)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Variability of familial risk of Alzheimer disease across the late life span [Silverman] 565 (My)

Aging
Hostile marital interactions, proinflammatory cytokine production, and wound healing [Kiecolt-Glaser] 1377 (De)

Agoraphobia
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)
Venlafaxine extended release vs placebo and paroxetine in social anxiety disorder [Liebowitz] 190 (Fe)

Alcoholism
Alcohol misuse and mood disorders following traumatic brain injury [Jorge] 742 (Jy)
Alcohol use disorders among US college students and their non–college-attending peers [Slutske] 321 (Mr)
Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC [Markon] 1352 (De)
Cortical γ-aminobutyric acid type a–benzodiazepine receptors in recovery from alcohol dependence: relationship to features of alcohol dependence and cigarette smoking [Staley] 877 (Au)
Differences between early-phase primary psychotic disorders with concurrent substance use and substance-induced psychoses [Caton] 137 (Fe); correction, 493 (My)
Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers [Scherrer] 677 (Je)
Effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes [McKay] 199 (Fe)
Effects of co-occurring alcohol abuse on the course of bipolar disorder following a first hospitalization for mania [Strakowski] 851 (Au)
Efficacy of valproate maintenance in patients with bipolar disorder and alcoholism: a double-blind placebo-controlled study [Salloum] 37 (Ja)
Haplotype-based localization of an alcohol dependence gene to the 5q34 γ-aminobutyric acid type A gene cluster [Radel] 47 (Ja)
Long-term stability of alcohol and other substance dependence diagnoses and habitual smoking: an evaluation after 5 years [Culverhouse] 753 (Jy)
Personality and problem gambling: a prospective study of a birth cohort of young adults [Slutske] 769 (Jy)
Prevalence of *DSM-IV* disorders and attendant help-seeking in 2 American Indian reservation populations [Beals] 99 (Ja)

Alprazolam
Pregabalin for treatment of generalized anxiety disorder: a 4-week, multicenter, double-blind, placebo-controlled trial of pregabalin and alprazolam [Rickels] 1022 (Se)

Alzheimer Disease
Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults [Pomara] 209 (Fe)
Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument [Palmer] 734 (Jy)
Do statins reduce risk of incident dementia and Alzheimer disease? the Cache County Study [Zandi] 217 (Fe)
Sex differences in the clinical manifestations of Alzheimer disease pathology [Barnes] 685 (Je)
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Variability of familial risk of Alzheimer disease across the late life span [Silverman] 565 (My)

Ambulatory Care
Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a National Drug Abuse Treatment Clinical Trials Network Study [Petry] 1148 (Oc)

Amphetamine
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)

Amygdala
Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing [Paulus] 282 (Mr)
Functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder [Shin] 273 (Mr)
Susceptibility gene for affective disorders and the response of the human amygdala [Hariri] 146 (Fe)

Anhedonia
Functional neuroanatomical substrates of altered reward processing in major depressive disorder revealed by a dopaminergic probe [Tremblay] 1228 (No)

Animal Models
Hippocampal complexin proteins and cognitive dysfunction in schizophrenia [Sawada] 263 (Mr)

Anorexia Nervosa
Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl^{11}C]WAY-100635 [Bailer] 1032 (Se)
Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs [Halmi] 776 (Jy)

Anti-Anxiety Agents
Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing [Paulus] 282 (Mr)

Antidepressive Agents
Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not [Schatzberg] 513 (My)
Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression [Schmidt] 154 (Fe)
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)
Effects of antidepressant medication on morbidity and mortality in depressed patients after myocardial infarction [Taylor] 792 (Jy)
Prevention of relapse following cognitive therapy vs medications in moderate to severe depression [Hollon] 417 (Ap)
Relationship between antidepressant medication use and rate of suicide [Gibbons] 165 (Fe)

Antioxidants
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)

Antipsychotic Agents
Antipsychotic drug effects on brain morphology in first-episode psychosis [Lieberman] 361 (Ap)
Attitudes toward antipsychotic medication: the impact of clinical variables and relationships with health professionals [Day] 717 (Jy)
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)
Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis [Kemmler] 1305 (De)
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)

Antisocial Personality Disorder
Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC [Markon] 1352 (De)
Deficient fear conditioning in psychopathy: a functional magnetic resonance imaging study [Birbaumer] 799 (Jy)
Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence [Stallings] 1042 (Se)
Maternal depression and children's antisocial behavior: nature and nurture effects [Kim-Cohen] 173 (Fe)

Anxiety Disorders
Anxiety disorders and risk for suicidal ideation and suicide attempts: a population-based longitudinal study of adults [Sareen] 1249 (No)
Current state of cognitive therapy: 40-year retrospective [Beck] 953 (Se)
Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis [van den Heuvel] 922 (Au)
Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing [Paulus] 282 (Mr)
Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions [Hasin] 1097 (Oc)
Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication [Wang] 603 (Je)
Frontal-striatal dysfunction during planning in obsessive-compulsive disorder [van den Heuvel] 301 (Mr)
Influence of the serotonin transporter promoter gene and shyness on children's cerebral responses to facial expression [Battaglia] 85 (Ja)
Interaction of stressful life events and a serotonin transporter polymorphism in the prediction of episodes of major depression: a replication [Kendler] 529 (My)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Neighborhood residence and mental health problems of 5- to 11-year-olds [Xue] 554 (My)
Pregabalin for treatment of generalized anxiety disorder: a 4-week, multicenter, double-blind, placebo-controlled trial of pregabalin and alprazolam [Rickels] 1022 (Se)
Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)
Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care [Rollman] 1332 (De)
Response to 5% carbon dioxide in children and adolescents: relationship to panic disorder in parents and anxiety disorders in subjects [Pine] 73 (Ja)
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)
Subthreshold depression in adolescence and mental health outcomes in adulthood [Fergusson] 66 (Ja)
Susceptibility gene for affective disorders and the response of the human amygdala [Hariri] 146 (Fe)
Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication [Wang] 629 (Je)

Anxiolytic Agents see Anti-Anxiety Agents

Apolipoproteins E
Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults [Pomara] 209 (Fe)
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)

ARCHIVES OF GENERAL PSYCHIATRY
Beginning year 4 [Coyle] 14 (Ja)

ART AND IMAGES IN PSYCHIATRY (Harris JC, ed)
Arrangement in Grey and Black, No 1: Portrait of the Painter's Mother [Harris] 1295 (De)
Clinical Lesson at the Salpêtrière [Harris] 470 (My)
Excavation [Harris] 359 (Ap)
Gassed [Harris] 15 (Ja)
Gulliver's Travels: the *Struldbruggs* [Harris] 243 (Mr)
Hypnotic Session [Harris] 588 (Je)
Jeanne Hebuterne [Harris] 710 (Jy)
Lapin Agile in Winter [Harris] 1070 (Oc)
Metamorphosis of Narcissus [Harris] 124 (Fe); correction, 613 (Je)
Portrait of the Family [Harris] 952 (Se)
The Hangover (Gueule de Bois) [Harris] 824 (Au)
The Mediterranean at Genoa [Harris] 1181 (No)

Assaultive Behavior see Violence

Attention
Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis [van den Heuvel] 922 (Au)
Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms [Sacco] 649 (Je)
Attention Deficit Disorder with Hyperactivity
Association between smoking and attention-deficit/hyperactivity disorder symptoms in a population-based sample of young adults [Kollins] 1142 (Oc)
Catechol *O*-methyltransferase gene variant and birth weight predict early-onset antisocial behavior in children with attention-deficit/hyperactivity disorder [Thapar] 1275 (No)
Disentangling deficits in adults with attention-deficit/hyperactivity disorder [Bekker] 1129 (Oc)
Impact of 3-tier formularies on drug treatment of attention-deficit/hyperactivity disorder in children [Huskamp] 435 (Ap)
Instability of the *DSM-IV* subtypes of ADHD from preschool through elementary school [Lahey] 896 (Au)
Randomized, controlled, crossover trial of methylphenidate in pervasive developmental disorders with hyperactivity [Research Units on Pediatric Psychopharmacology (RUPP) Autism Network] 1266 (No)
Auditory Cortex
Disentangling deficits in adults with attention-deficit/hyperactivity disorder [Bekker] 1129 (Oc)
Autistic Disorder
Magnetic resonance imaging and head circumference study of brain size in autism: birth through age 2 years [Hazlett] 1366 (De)
Randomized, controlled, crossover trial of methylphenidate in pervasive developmental disorders with hyperactivity [Research Units on Pediatric Psychopharmacology (RUPP) Autism Network] 1266 (No)
Validation of the phenomenon of autistic regression using home videotapes [Werner] 889 (Au)

B

Basal Ganglia
Correlation of stable elevations in striatal μ-opioid receptor availability in detoxified alcoholic patients with alcohol craving: a positron emission tomography study using carbon 11—labeled carfentanil [Heinz] 57 (Ja); correction, 983 (Se)
Behavior Therapy
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Current state of cognitive therapy: 40-year retrospective [Beck] 953 (Se)
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)
Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs [Halmi] 776 (Jy)
Randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder [Roy-Byrne] 290 (Mr)
Telephone-administered psychotherapy for depression [Mohr] 1007 (Se)
Behavior Therapy, Cognitive see **Cognitive Therapy**
Benzodiazepine-Gaba Receptors see **Receptors, GABA-A**
Bergh, Richard (1858-1919)
Hypnotic Session [Harris] 588 (Je)
Binge Drinking see **Alcohol Drinking**
Bipolar Disorder
Effects of co-occurring alcohol abuse on the course of bipolar disorder following a first hospitalization for mania [Strakowski] 851 (Au)
Efficacy of valproate maintenance in patients with bipolar disorder and alcoholism: a double-blind placebo-controlled study [Salloum] 37 (Ja)
Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study [Laursen] 841 (Au)
Frontotemporal alterations in pediatric bipolar disorder: results of a voxel-based morphometry study [Dickstein] 734 (Jy)
Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to *DISC1*, and suggestive evidence at 22q11 and 19p13 [Hamshere] 1081 (Oc)
Mixed hypomania in 908 patients with bipolar disorder evaluated prospectively in the Stanley Foundation Bipolar Treatment Network: a sex-specific phenomenon [Suppes] 1089 (Oc)
Olanzapine and olanzapine-fluoxetine combination treatment and bipolar I depression (letter) [Williams] (reply) [Tohen] 1052 (Se)
Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder [Green] 642 (Je)
Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study [Judd] 1322 (De)
Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder [Frank] 996 (Se)
Birth Weight
Catechol *O*-methyltransferase gene variant and birth weight predict early-onset antisocial behavior in children with attention-deficit/hyperactivity disorder [Thapar] 1275 (No)
Brain Injuries
Predicting depression following mild traumatic brain injury [Levin] 523 (My)
Brain Volume
Association of *DISC1/TRAX* haplotypes with schizophrenia, reduced prefrontal gray matter, and impaired short- and long-term memory [Cannon] 1205 (No)
Frontotemporal alterations in pediatric bipolar disorder: results of a voxel-based morphometry study [Dickstein] 734 (Jy)
Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression [Taylor] 537 (My)
Magnetic resonance imaging and head circumference study of brain size in autism: birth through age 2 years [Hazlett] 1366 (De)
Whole-brain morphometric study of schizophrenia revealing a spatially complex set of focal abnormalities [Davatzikos] 1218 (No)
Bulimia
Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl-^{11}C]WAY-100635 [Bailer] 1032 (Se)
Buprenorphine
Adolescent opioid abuse [O'Brien] 1165 (Oc)
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)
Bupropion
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)

C

Cannabis Abuse see **Marijuana Abuse**
Carbon Dioxide
Response to 5% carbon dioxide in children and adolescents: relationship to panic disorder in parents and anxiety disorders in subjects [Pine] 73 (Ja)
Catechol O-Methyltransferase
Catechol *O*-methyltransferase gene variant and birth weight predict early-onset antisocial behavior in children with attention-deficit/hyperactivity disorder [Thapar] 1275 (No)
Cerebrospinal Fluid
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)
Charcot, Jean-Martin (1825-1893)
Clinical Lesson at the Salpêtrière [Harris] 470 (My)
Chemical Warfare
Gassed [Harris] 15 (Ja)
Child
Frontotemporal alterations in pediatric bipolar disorder: results of a voxel-based morphometry study [Dickstein] 734 (Jy)
Heart rate and posttraumatic stress in injured children [Kassam-Adams] 335 (Mr)
Impact of 3-tier formularies on drug treatment of attention-deficit/hyperactivity disorder in children [Huskamp] 435 (Ap)
Influence of the serotonin transporter promoter gene and shyness on children's cerebral responses to facial expression [Battaglia] 85 (Ja)
Instability of the *DSM-IV* subtypes of ADHD from preschool through elementary school [Lahey] 896 (Au)
Magnetic resonance imaging and head circumference study of brain size in autism: birth through age 2 years [Hazlett] 1366 (De)
Maternal depression and children's antisocial behavior: nature and nurture effects [Kim-Cohen] 173 (Fe)
Neighborhood residence and mental health problems of 5- to 11-year-olds [Xue] 554 (My)
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)
Randomized, controlled, crossover trial of methylphenidate in pervasive developmental disorders with hyperactivity [Research Units on Pediatric Psychopharmacology (RUPP) Autism Network] 1266 (No)
Validation of the phenomenon of autistic regression using home videotapes [Werner] 889 (Au)
Cholinesterase Inhibitors
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Chromatin
Chromatin alterations associated with down-regulated metabolic gene expression in the prefrontal cortex of subjects with schizophrenia [Akbarian] 829 (Au)
Churchill, Winston (1874-1965)
The Mediterranean at Genoa [Harris] 1181 (No)
Clioquinol
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Clonidine
Adolescent opioid abuse [O'Brien] 1165 (Oc)
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)
Clozapine
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)
Cocaine-Related Disorders
Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC [Markon] 1352 (De)
Effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes [McKay] 199 (Fe)
Cognition Disorders
Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults [Pomara] 209 (Fe)
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)
Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms [Sacco] 649 (Je)
Frontal-striatal dysfunction during planning in obsessive-compulsive disorder [van den Heuvel] 301 (Mr)
Hippocampal complexin proteins and cognitive dysfunction in schizophrenia [Sawada] 263 (Mr)
Hippocampal Myo-inositol and cognitive ability in adults with Down syndrome: an in vivo proton magnetic resonance spectroscopy study [Beacher] 1360 (De)
Mismatch negativity deficits are associated with poor functioning in schizophrenia patients [Light] 127 (Fe)
Cognitive Therapy
Cognitive therapy vs medications in the treatment of moderate to severe depression [DeRubeis] 409 (Ap)
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Current state of cognitive therapy: 40-year retrospective [Beck] 953 (Se)
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)
Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs [Halmi] 776 (Jy)
Prevention of relapse following cognitive therapy vs medications in moderate to severe depression [Hollon] 417 (Ap)
Randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder [Roy-Byrne] 290 (Mr)
Telephone-administered psychotherapy for depression [Mohr] 1007 (Se)
Complementary Therapies
Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression [Schmidt] 154 (Fe)
Complexins
Hippocampal complexin proteins and cognitive dysfunction in schizophrenia [Sawada] 263 (Mr)
Conduct Disorder
Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence [Stallings] 1042 (Se)
Coronary Disease
Depression and heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study [Gehi] 661 (Je)
CORRECTIONS
Correlation of stable elevations in striatal μ-opioid receptor availability in detoxified alcoholic patients with alcohol craving: a positron emission tomography study using carbon 11—labeled carfentanil [Heinz] 57 (Ja); correction, 983 (Se)
Differences between early-phase primary psychotic disorders with concurrent substance use and substance-induced psychoses [Caton] 137 (Fe); correction, 493 (My)
Family study of alcohol dependence: coaggregation of multiple disorders in relatives of alcohol-dependent probands [Nurnberger] **61**:1246 (Au); correction, **62**:848 (Au)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Metamorphosis of Narcissus [Harris] 124 (Fe); correction, 613 (Je)
Pharmacotherapy plus psychotherapy for treatment of depression in active injection drug users [Stein] **61**:61 (Fe); correction, **62**:224 (Fe)

Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)
Sleep in lifetime posttraumatic stress disorder: a community-based polysomnographic study [Breslau] 61:508 (My); correction, 62:172 (Fe)

Corticotropin
Cognitive modulation of the endocrine stress response to a pharmacological challenge in normal and panic disorder subjects [Abelson] 668 (Je)

Costs and Cost Analysis
Cost-effectiveness of an intervention to prevent depression in at-risk teens [Lynch] 1241 (No)
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Cost-effectiveness of improving primary care treatment of late-life depression [Katon] 1313 (De)
Impact of 3-tier formularies on drug treatment of attention-deficit/hyperactivity disorder in children [Huskamp] 435 (Ap)
Somatization increases medical utilization and costs independent of psychiatric and medical comorbidity [Barsky] 903 (Au)

Counseling
Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a National Drug Abuse Treatment Clinical Trials Network Study [Petry] 1148 (Oc)
Effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes [McKay] 199 (Fe)

Craniocerebral Trauma
Alcohol misuse and mood disorders following traumatic brain injury [Jorge] 742 (Jy)

Crime
Deficient fear conditioning in psychopathy: a functional magnetic resonance imaging study [Birbaumer] 799 (Jy)

Crime Victims
Crime victimization in adults with severe mental illness: comparison with the National Crime Victimization Survey [Teplin] 911 (Au)
Violence and the mentally ill: victims, not perpetrators [Eisenberg] 825 (Au)

Cyclooxygenase Inhibitors
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)

Cytokines
Hostile marital interactions, proinflammatory cytokine production, and wound healing [Kiecolt-Glaser] 1377 (De)

D

Dali, Salvador (1904-1989)
Metamorphosis of Narcissus [Harris] 124 (Fe); correction, 613 (Je)

De Kooning, Willem (1904-1997)
Excavation [Harris] 359 (Ap)

de Toulouse-Lautrec, Henri (1864-1901)
The Hangover (Gueule de Bois) [Harris] 824 (Au)

Decision Making
Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse [Paulus] 761 (Jy)

Dehydroepiandrosterone
Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression [Schmidt] 154 (Fe)

Delivery of Health Care
Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care [Rollman] 1332 (De)

Dementia
Do statins reduce risk of incident dementia and Alzheimer disease? the Cache County Study [Zandi] 217 (Fe)
Sex differences in the clinical manifestations of Alzheimer disease pathology [Barnes] 685 (Je)

Depression
Alterations in regional cerebral glucose metabolism across waking and non–rapid eye movement sleep in depression [Nofzinger] 387 (Ap)
Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not [Schatzberg] 513 (My)
Cost-effectiveness of an intervention to prevent depression in at-risk teens [Lynch] 1241 (No)
Cost-effectiveness of improving primary care treatment of late-life depression [Katon] 1313 (De)
Current state of cognitive therapy: 40-year retrospective [Beck] 953 (Se)
Depression and heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study [Gehi] 661 (Je)
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)
Effects of antidepressant medication on morbidity and mortality in depressed patients after myocardial infarction [Taylor] 792 (Jy)
Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression [Taylor] 537 (My)
Maternal depression and children's antisocial behavior: nature and nurture effects [Kim-Cohen] 173 (Fe)
Mixed hypomania in 908 patients with bipolar disorder evaluated prospectively in the Stanley Foundation Bipolar Treatment Network: a sex-specific phenomenon [Suppes] 1089 (Oc)
Neighborhood residence and mental health problems of 5- to 11-year-olds [Xue] 554 (My)
Predicting depression following mild traumatic brain injury [Levin] 523 (My)
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)
Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study [Judd] 1322 (De)
Telephone-administered psychotherapy for depression [Mohr] 1007 (Se)

Depression, Involutional see **Depressive Disorder, Major**

Depressive Disorder, Major
Cognitive therapy vs medications in the treatment of moderate to severe depression [DeRubeis] 409 (Ap)
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression [Schmidt] 154 (Fe)
Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions [Hasin] 1097 (Oc)
Families at high and low risk for depression: a 3-generation study [Weissman] 29 (Ja)
Functional neuroanatomical substrates of altered reward processing in major depressive disorder revealed by a dopaminergic probe [Tremblay] 1228 (No)
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)
Interaction of stressful life events and a serotonin transporter polymorphism in the prediction of episodes of major depression: a replication [Kendler] 529 (My)
Neuroanatomic correlates of psychopathologic components of major depressive disorder [Milak] 397 (Ap)
Prevention of relapse following cognitive therapy vs medications in moderate to severe depression [Hollon] 417 (Ap)
Shared genetic contributions to pathological gambling and major depression in men [Potenza] 1015 (Se)
Subthreshold depression in adolescence and mental health outcomes in adulthood [Fergusson] 66 (Ja)

Diabetes Mellitus
Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument [Palmer] 734 (Jy)
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)

Diagnosis
Long-term stability of alcohol and other substance dependence diagnoses and habitual smoking: an evaluation after 5 years [Culverhouse] 753 (Jy)
Structure of posttraumatic stress disorder: latent class analysis in 2 community samples [Breslau] 1343 (De)

Diagnostic and Statistical Manual of Mental Disorders
Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication [Wang] 603 (Je)
Instability of the *DSM-IV* subtypes of ADHD from preschool through elementary school [Lahey] 896 (Au)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Long-term stability of alcohol and other substance dependence diagnoses and habitual smoking: an evaluation after 5 years [Culverhouse] 753 (Jy)
Prevalence of *DSM-IV* disorders and attendant help-seeking in 2 American Indian reservation populations [Beals] 99 (Ja)
Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)
Structure of posttraumatic stress disorder: latent class analysis in 2 community samples [Breslau] 1343 (De)

Disability Evaluation
Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study [Judd] 1322 (De)

Disease Progression
Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study [Judd] 1322 (De)
Subthreshold depression in adolescence and mental health outcomes in adulthood [Fergusson] 66 (Ja)

Divalproex see **Valproic Acid**

Dopamine
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)

Dopamine D2 Receptors see **Receptors, Dopamine D2**

Dose-Response Relationship, Drug
Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing [Paulus] 282 (Mr)

Down Syndrome
Hippocampal Myo-inositol and cognitive ability in adults with Down syndrome: an in vivo proton magnetic resonance spectroscopy study [Beacher] 1360 (De)

Drug Costs
Impact of 3-tier formularies on drug treatment of attention-deficit/hyperactivity disorder in children [Huskamp] 435 (Ap)

Drug Reaction, Adverse
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)
Relationship between antidepressant medication use and rate of suicide [Gibbons] 165 (Fe)

Drug Resistance
Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not [Schatzberg] 513 (My)

Drug Therapy, Combination
Olanzapine and olanzapine-fluoxetine combination treatment and bipolar I depression (letter) [Williams] (reply) [Tohen] 1052 (Se)

Drugs, Nonprescription
Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression [Schmidt] 154 (Fe)

DSM-IV see ***Diagnostic and Statistical Manual of Mental Disorders***

Duration of Untreated Psychosis
Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review [Marshall] 975 (Se)

E

Eating Disorders
Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl-^{11}C]WAY-100635 [Bailer] 1032 (Se)
Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs [Halmi] 776 (Jy)

Editorial Policies
Beginning year 4 [Coyle] 14 (Ja)

Elderly
Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults [Pomara] 209 (Fe)
Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument [Palmer] 734 (Jy)

Emergency Medicine
Emergency treatment of young people following deliberate self-harm [Olfson] 1122 (Oc)

Emotions
Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing [Paulus] 282 (Mr)

Environmental Exposure
Response to 5% carbon dioxide in children and adolescents: relationship to panic disorder in parents and anxiety disorders in subjects [Pine] 73 (Ja)
Strategy for investigating interactions between measured genes and measured environments [Moffitt] 473 (My)

Epidemiologic Studies
Crime victimization in adults with severe mental illness: comparison with the National Crime Victimization Survey [Teplin] 911 (Au)
Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions [Hasin] 1097 (Oc)
Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication [Wang] 603 (Je)
Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study [Laursen] 841 (Au)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Prevalence of *DSM-IV* disorders and attendant help-seeking in 2 American Indian reservation populations [Beals] 99 (Ja)
Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)

Psychiatric epidemiology: it's not just about counting anymore [Insel] 590 (Je)
Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication [Wang] 629 (Je)
Evoked Potentials, Visual
Early-stage visual processing and cortical amplification deficits in schizophrenia [Butler] 495 (My)

F

Facial Expression
Functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder [Shin] 273 (Mr)
Influence of the serotonin transporter promoter gene and shyness on children's cerebral responses to facial expression [Battaglia] 85 (Ja)
Fear
Deficient fear conditioning in psychopathy: a functional magnetic resonance imaging study [Birbaumer] 799 (Jy)
Fluoxetine
Olanzapine and olanzapine-fluoxetine combination treatment and bipolar I depression (letter) [Williams] (reply) [Tohen] 1052 (Se)
Frontal Lobe
Frontal-striatal dysfunction during planning in obsessive-compulsive disorder [van den Heuvel] 301 (Mr)
Frontotemporal alterations in pediatric bipolar disorder: results of a voxel-based morphometry study [Dickstein] 734 (Jy)
Imaging frontostriatal function in ultra-high-risk, early, and chronic schizophrenia during executive processing [Morey] 254 (Mr)

G

GABA Receptors see Receptors, GABA
Gambling
Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers [Scherrer] 677 (Je)
Personality and problem gambling: a prospective study of a birth cohort of young adults [Slutske] 769 (Jy)
Shared genetic contributions to pathological gambling and major depression in men [Potenza] 1015 (Se)
gamma-Aminobutyric Acid Receptors see Receptors, GABA
Gene Expression
Chromatin alterations associated with down-regulated metabolic gene expression in the prefrontal cortex of subjects with schizophrenia [Akbarian] 829 (Au)
Genetic Markers
Association of *DISC1/TRAX* haplotypes with schizophrenia, reduced prefrontal gray matter, and impaired short- and long-term memory [Cannon] 1205 (No)
Increased caudate dopamine D_2 receptor availability as a genetic marker for schizophrenia [Hirvonen] 371 (Ap)
Genetic Predisposition to Disease
Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers [Scherrer] 677 (Je)
Families at high and low risk for depression: a 3-generation study [Weissman] 29 (Ja)
Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study [Laursen] 841 (Au)
Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to *DISC1*, and suggestive evidence at 22q11 and 19p13 [Hamshere] 1081 (Oc)
Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence [Stallings] 1042 (Se)
Haplotype-based localization of an alcohol dependence gene to the 5q34 γ-aminobutyric acid type A gene cluster [Radel] 47 (Ja)
Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder [Green] 642 (Je)
Shared genetic contributions to pathological gambling and major depression in men [Potenza] 1015 (Se)
Strategy for investigating interactions between measured genes and measured environments [Moffitt] 473 (My)
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)
Susceptibility gene for affective disorders and the response of the human amygdala [Hariri] 146 (Fe)
Variability of familial risk of Alzheimer disease across the late life span [Silverman] 565 (My)
Genetic Variation see Variation (Genetics)
Glucose Metabolism Disorders
Alterations in regional cerebral glucose metabolism across waking and non–rapid eye movement sleep in depression [Nofzinger] 387 (Ap)
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)
Neuroanatomic correlates of psychopathologic components of major depressive disorder [Milak] 397 (Ap)
Glutamate see Glutamic Acid
Glutamic Acid
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)
Grandville, J. J. (1803-1847)
Gulliver's Travels: the *Struldbruggs* [Harris] 243 (Mr)
Gulliver's Travels
Gulliver's Travels: the *Struldbruggs* [Harris] 243 (Mr)

H

Haloperidol
Antipsychotic drug effects on brain morphology in first-episode psychosis [Lieberman] 361 (Ap)
Heart Rate
Depression and heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study [Gehi] 661 (Je)
Heart rate and posttraumatic stress in injured children [Kassam-Adams] 335 (Mr)
Hippocampus
Hippocampal complexin proteins and cognitive dysfunction in schizophrenia [Sawada] 263 (Mr)
Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression [Taylor] 537 (My)
Reduced parahippocampal connectivity produces schizophrenia-like memory deficits in simulated neural circuits with reduced parahippocampal connectivity [Talamini] 485 (My)
Regionally specific disturbance of dorsolateral prefrontal–hippocampal functional connectivity in schizophrenia [Meyer-Lindenberg] 379 (Ap)
Hormone Replacement Therapy
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Hospitalization
Effects of co-occurring alcohol abuse on the course of bipolar disorder following a first hospitalization for mania [Strakowski] 851 (Au)
Suicide risk in relation to psychiatric hospitalization: evidence based on longitudinal registers [Qin] 427 (Ap)
Hydroxyindoleacetic Acid
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)
Hydroxymethylglutaryl-CoA Reductase Inhibitors
Do statins reduce risk of incident dementia and Alzheimer disease? the Cache County Study [Zandi] 217 (Fe)
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Hypnosis
Hypnotic Session [Harris] 588 (Je)
Hypochondriasis
Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis [van den Heuvel] 922 (Au)
Hysteria
Clinical Lesson at the Salpêtrière [Harris] 470 (My)

I

Immunization
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Impulse Control Disorders
Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication [Wang] 603 (Je)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)
Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication [Wang] 629 (Je)
Indians, North American
Prevalence of *DSM-IV* disorders and attendant help-seeking in 2 American Indian reservation populations [Beals] 99 (Ja)
Infant
Magnetic resonance imaging and head circumference study of brain size in autism: birth through age 2 years [Hazlett] 1366 (De)
Inflammation Mediators
Hostile marital interactions, proinflammatory cytokine production, and wound healing [Kiecolt-Glaser] 1377 (De)
Informed Consent
Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument [Palmer] 734 (Jy)
Inositol
Hippocampal *Myo*-inositol and cognitive ability in adults with Down syndrome: an in vivo proton magnetic resonance spectroscopy study [Beacher] 1360 (De)
Insulin Resistance
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)
Insulysin
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Intelligence
Elaboration on premorbid intellectual performance in schizophrenia: premorbid intellectual decline and risk for schizophrenia [Reichenberg] 1297 (De)

J

Journals see Periodicals

K

Ketamine
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)

L

Linkage (Genetics)
Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to *DISC1*, and suggestive evidence at 22q11 and 19p13 [Hamshere] 1081 (Oc)
Haplotype-based localization of an alcohol dependence gene to the 5q34 γ-aminobutyric acid type A gene cluster [Radel] 47 (Ja)
Lithium
Suicide risk in patients treated with lithium [Kessing] 860 (Au)
Lorazepam
Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults [Pomara] 209 (Fe)
Dose-dependent decrease of activation in bilateral amygdala and insula by lorazepam during emotion processing [Paulus] 282 (Mr)

M

Magnetic Resonance Imaging
Deficient fear conditioning in psychopathy: a functional magnetic resonance imaging study [Birbaumer] 799 (Jy)
Frontotemporal alterations in pediatric bipolar disorder: results of a voxel-based morphometry study [Dickstein] 734 (Jy)
Functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder [Shin] 273 (Mr)
Hippocampal *Myo*-inositol and cognitive ability in adults with Down syndrome: an in vivo proton magnetic resonance spectroscopy study [Beacher] 1360 (De)
Imaging frontostriatal function in ultra-high-risk, early, and chronic schizophrenia during executive processing [Morey] 254 (Mr)
Magnetic resonance imaging and head circumference study of brain size in autism: birth through age 2 years [Hazlett] 1366 (De)
Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse [Paulus] 761 (Jy)
Whole-brain morphometric study of schizophrenia revealing a spatially complex set of focal abnormalities [Davatzikos] 1218 (No)
Magnetic Resonance Spectroscopy
Methamphetamine users in sustained abstinence: a proton magnetic resonance spectroscopy study [Nordahl] 444 (Ap)
Manic Disorder see Bipolar Disorder
Marijuana Abuse
Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC [Markon] 1352 (De)
Personality and problem gambling: a prospective study of a birth cohort of young adults [Slutske] 769 (Jy)
Risk factors predicting changes in marijuana involvement in teenagers [van den Bree] 311 (Mr)
Marriage
Hostile marital interactions, proinflammatory cytokine production, and wound healing [Kiecolt-Glaser] 1377 (De)
Memantine
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)
Memory Disorders
Apolipoprotein E ε4 allele and lorazepam effects on memory in high-functioning older adults [Pomara] 209 (Fe)
Association of *DISC1/TRAX* haplotypes with schizophrenia, reduced prefrontal gray matter, and impaired short- and long-term memory [Cannon] 1205 (No)

Dorsolateral prefrontal cortex activity during maintenance and manipulation of information in working memory in patients with schizophrenia [Cannon] 1071 (Oc)
Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms [Sacco] 649 (Je)
Reduced parahippocampal connectivity produces schizophrenia-like memory deficits in simulated neural circuits with reduced parahippocampal connectivity [Talamini] 485 (My)

Men
Sex differences in the clinical manifestations of Alzheimer disease pathology [Barnes] 685 (Je)
Shared genetic contributions to pathological gambling and major depression in men [Potenza] 1015 (Se)
Twin registry study of the relationship between posttraumatic stress disorder and nicotine dependence in men [Koenen] 1258 (No)

Meta-Analysis
Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis [Kemmler] 1305 (De)

Metabolism
Chromatin alterations associated with down-regulated metabolic gene expression in the prefrontal cortex of subjects with schizophrenia [Akbarian] 829 (Au)

Methamphetamine
Methamphetamine users in sustained abstinence: a proton magnetic resonance spectroscopy study [Nordahl] 444 (Ap)
Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse [Paulus] 761 (Jy)

N-Methylaspartate
Sarcosine or D-serine add-on treatment for acute exacerbation of schizophrenia: a randomized, double-blind, placebo-controlled study [Lane] 1196 (No)

Methylphenidate
Randomized, controlled, crossover trial of methylphenidate in pervasive developmental disorders with hyperactivity [Research Units on Pediatric Psychopharmacology (RUPP) Autism Network] 1266 (No)

Modigliani, Amedeo (1884-1920)
Jeanne Hebuterne [Harris] 710 (Jy)

Mood Disorders
Alcohol misuse and mood disorders following traumatic brain injury [Jorge] 742 (Jy)
Anxiety disorders and risk for suicidal ideation and suicide attempts: a population-based longitudinal study of adults [Sareen] 1249 (No)
Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication [Wang] 603 (Je)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Neuroanatomic correlates of psychopathologic components of major depressive disorder [Milak] 397 (Ap)
Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)
Relationship between antidepressant medication use and rate of suicide [Gibbons] 165 (Fe)
Susceptibility gene for affective disorders and the response of the human amygdala [Hariri] 146 (Fe)
Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication [Wang] 629 (Je)

Mortality
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)

Mother-Child Relations
Maternal depression and children's antisocial behavior: nature and nurture effects [Kim-Cohen] 173 (Fe)

Myocardial Infarction
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)
Effects of antidepressant medication on morbidity and mortality in depressed patients after myocardial infarction [Taylor] 792 (Jy)

Myoinositol see Inositol

N

Naltrexone
Adolescent opioid abuse [O'Brien] 1165 (Oc)
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)

Naproxen
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)

Nefazodone
Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not [Schatzberg] 513 (My)

Neuregulin-1
Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder [Green] 642 (Je)

Neurotransmitters
Functional neuroanatomical substrates of altered reward processing in major depressive disorder revealed by a dopaminergic probe [Tremblay] 1228 (No)

New York City
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)

Nicotine Dependence see Tobacco Use Disorder

Nicotinic Acetylcholine Receptors see Receptors, Nicotinic

N-Methyl-D-Aspartate Receptors see Receptors, N-Methyl-D-Aspartate

O

Obsessive-Compulsive Disorder
Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis [van den Heuvel] 922 (Au)
Frontal-striatal dysfunction during planning in obsessive-compulsive disorder [van den Heuvel] 301 (Mr)
Personality and problem gambling: a prospective study of a birth cohort of young adults [Slutske] 769 (Jy)
Shared genetic contributions to pathological gambling and major depression in men [Potenza] 1015 (Se)
White matter abnormalities in obsessive-compulsive disorder: a diffusion tensor imaging study [Szeszko] 782 (Jy)

Olanzapine
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)
Olanzapine and olanzapine-fluoxetine combination treatment and bipolar I depression (letter) [Williams] (reply) [Tohen] 1052 (Se)

Opioid-Related Disorders
Adolescent opioid abuse [O'Brien] 1165 (Oc)
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)

Outcome Assessment
Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review [Marshall] 975 (Se)
Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a National Drug Abuse Treatment Clinical Trials Network Study [Petry] 1148 (Oc)
Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder [Frank] 996 (Se)

P

Panic Disorder
Cognitive modulation of the endocrine stress response to a pharmacological challenge in normal and panic disorder subjects [Abelson] 668 (Je)
Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis [van den Heuvel] 922 (Au)
Randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder [Roy-Byrne] 290 (Mr)
Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care [Rollman] 1332 (De)
Response to 5% carbon dioxide in children and adolescents: relationship to panic disorder in parents and anxiety disorders in subjects [Pine] 73 (Ja)
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)

Parent-Child Relations
Cost-effectiveness of an intervention to prevent depression in at-risk teens [Lynch] 1241 (No)

Paroxetine
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Venlafaxine extended release vs placebo and paroxetine in social anxiety disorder [Liebowitz] 190 (Fe)

Patient Adherence
Attitudes toward antipsychotic medication: the impact of clinical variables and relationships with health professionals [Day] 717 (Jy)
Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis [Kemmler] 1305 (De)
Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs [Halmi] 776 (Jy)

Patient Participation
Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis [Kemmler] 1305 (De)

Patient-Physician Relationship
Attitudes toward antipsychotic medication: the impact of clinical variables and relationships with health professionals [Day] 717 (Jy)

Pentagastrin
Cognitive modulation of the endocrine stress response to a pharmacological challenge in normal and panic disorder subjects [Abelson] 668 (Je)

Periodicals
Beginning year 4 [Coyle] 14 (Ja)

Personality Disorders
Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions [Hasin] 1097 (Oc)

Phobic Disorders
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)

Placebos
Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis [Kemmler] 1305 (De)

Pleasure
Correlation of stable elevations in striatal μ-opioid receptor availability in detoxified alcoholic patients with alcohol craving: a positron emission tomography study using carbon 11—labeled carfentanil [Heinz] 57 (Ja); correction, 983 (Se)
Functional neuroanatomical substrates of altered reward processing in major depressive disorder revealed by a dopaminergic probe [Tremblay] 1228 (No)

Polymorphism, Genetic
Association of *DISC1/TRAX* haplotypes with schizophrenia, reduced prefrontal gray matter, and impaired short- and long-term memory [Cannon] 1205 (No)
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)
Haplotype-based localization of an alcohol dependence gene to the 5q34 γ-aminobutyric acid type A gene cluster [Radel] 47 (Ja)
Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression [Taylor] 537 (My)
Interaction of stressful life events and a serotonin transporter polymorphism in the prediction of episodes of major depression: a replication [Kendler] 529 (My)
Strategy for investigating interactions between measured genes and measured environments [Moffitt] 473 (My)

Positron-Emission Tomography
Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl-^{11}C]WAY-100635 [Bailer] 1032 (Se)

Prefrontal Cortex
Chromatin alterations associated with down-regulated metabolic gene expression in the prefrontal cortex of subjects with schizophrenia [Akbarian] 829 (Au)
Dorsolateral prefrontal cortex activity during maintenance and manipulation of information in working memory in patients with schizophrenia [Cannon] 1071 (Oc)
Functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder [Shin] 273 (Mr)
Regionally specific disturbance of dorsolateral prefrontal–hippocampal functional connectivity in schizophrenia [Meyer-Lindenberg] 379 (Ap)

Pregabalin
Pregabalin for treatment of generalized anxiety disorder: a 4-week, multicenter, double-blind, placebo-controlled trial of pregabalin and alprazolam [Rickels] 1022 (Se)

Preventive Medicine
Cost-effectiveness of an intervention to prevent depression in at-risk teens [Lynch] 1241 (No)

Primary Health Care
Cost-effectiveness of improving primary care treatment of late-life depression [Katon] 1313 (De)
Randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder [Roy-Byrne] 290 (Mr)

Prognosis
Catechol-*O*-methyltransferase gene variant and birth weight predict early-onset antisocial behavior in children with attention-deficit/hyperactivity disorder [Thapar] 1275 (No)
Predicting depression following mild traumatic brain injury [Levin] 523 (My)

Psychopathology
Deficient fear conditioning in psychopathy: a functional magnetic resonance imaging study [Birbaumer] 799 (Jy)
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)

Psychoses see Psychotic Disorders

Psychotherapy
Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not [Schatzberg] 513 (My)
Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder [Frank] 996 (Se)

Psychotherapy, Group
Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a National Drug Abuse Treatment Clinical Trials Network Study [Petry] 1148 (Oc)

Psychotic Disorders
Antipsychotic drug effects on brain morphology in first-episode psychosis [Lieberman] 361 (Ap)
Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review [Marshall] 975 (Se)
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)
Differences between early-phase primary psychotic disorders with concurrent substance use and substance-induced psychoses [Caton] 137 (Fe); correction, 493 (My)
Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study [Laursen] 841 (Au)
Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to *DISC1*, and suggestive evidence at 22q11 and 19p13 [Hamshere] 1081 (Oc)

Public Health
Psychiatric epidemiology: it's not just about counting anymore [Insel] 590 (Je)

Publishing
Beginning year 4 [Coyle] 14 (Ja)

Q

Quality of Health Care
Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care [Rollman] 1332 (De)

Quality of Life
Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers [Scherrer] 677 (Je)

Quetiapine
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)

R

Randomized Trials
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Dropout rates in placebo-controlled and active-control clinical trials of antipsychotic drugs: a meta-analysis [Kemmler] 1305 (De)
Efficacy of valporate maintenance in patients with bipolar disorder and alcoholism: a double-blind placebo-controlled study [Salloum] 37 (Ja)
Pregabalin for treatment of generalized anxiety disorder: a 4-week, multicenter, double-blind, placebo-controlled trial of pregabalin and alprazolam [Rickels] 1022 (Se)
Randomized, controlled, crossover trial of methylphenidate in pervasive developmental disorders with hyperactivity [Research Units on Pediatric Psychopharmacology (RUPP) Autism Network] 1266 (No)
Randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder [Roy-Byrne] 290 (Mr)
Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care [Rollman] 1332 (De)
Results of a multisite randomized trial of supported employment interventions for individuals with severe mental illness [Cook] 505 (My)
Sarcosine or D-serine add-on treatment for acute exacerbation of schizophrenia: a randomized, double-blind, placebo-controlled study [Lane] 1196 (No)

Rape
Crime victimization in adults with severe mental illness: comparison with the National Crime Victimization Survey [Teplin] 911 (Au)

Rapid Eye Movements see Sleep, REM

Receptors, Dopamine D2
Increased caudate dopamine D_2 receptor availability as a genetic marker for schizophrenia [Hirvonen] 371 (Ap)

Receptors, GABA
Haplotype-based localization of an alcohol dependence gene to the 5q34 γ-aminobutyric acid type A gene cluster [Radel] 47 (Ja)

Receptors, GABA-A
Cortical γ-aminobutyric acid type a–benzodiazepine receptors in recovery from alcohol dependence: relationship to features of alcohol dependence and cigarette smoking [Staley] 877 (Au)

Receptors, N-Methyl-D-Aspartate
Comparative and interactive human psychopharmacologic effects of ketamine and amphetamine: implications for glutamatergic and dopaminergic model psychoses and cognitive function [Krystal] 985 (Se)
Early-stage visual processing and cortical amplification deficits in schizophrenia [Butler] 495 (My)

Receptors, Nicotinic
Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder [Green] 642 (Je)

Receptors, Opioid
Correlation of stable elevations in striatal μ-opioid receptor availability in detoxified alcoholic patients with alcohol craving: a positron emission tomography study using carbon 11—labeled carfentanil [Heinz] 57 (Ja); correction, 983 (Se)

Receptors, Serotonin
Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl-^{11}C]WAY-100635 [Bailer] 1032 (Se)

Recurrence
Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse [Paulus] 761 (Jy)
Prevention of relapse following cognitive therapy vs medications in moderate to severe depression [Hollon] 417 (Ap)

Rehabilitation, Vocational
Results of a multisite randomized trial of supported employment interventions for individuals with severe mental illness [Cook] 505 (My)

Research
Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument [Palmer] 734 (Jy)
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)

Risk Factors
Association between smoking and attention-deficit/hyperactivity disorder symptoms in a population-based sample of young adults [Kollins] 1142 (Oc)
Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence [Stallings] 1042 (Se)
Hostile marital interactions, proinflammatory cytokine production, and wound healing [Kiecolt-Glaser] 1377 (De)
Lifetime risk of suicide in schizophrenia: a reexamination [Palmer] 247 (Mr)
Risk factors predicting changes in marijuana involvement in teenagers [van den Bree] 311 (Mr)
Smoking and the risk of suicidal behavior: a prospective study of a community sample [Breslau] 328 (Mr)
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)
Subthreshold depression in adolescence and mental health outcomes in adulthood [Fergusson] 66 (Ja)
Suicide risk in patients treated with lithium [Kessing] 860 (Au)
Suicide risk in relation to psychiatric hospitalization: evidence based on longitudinal registers [Qin] 427 (Ap)

Risperidone
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)

Rofecoxib
Translational research on the way to effective therapy for Alzheimer disease [Rosenberg] 1186 (No)

S

Sarcosine
Sarcosine or D-serine add-on treatment for acute exacerbation of schizophrenia: a randomized, double-blind, placebo-controlled study [Lane] 1196 (No)

Sargent, John Singer (1856-1925)
Gassed [Harris] 15 (Ja)

Schizoaffective Disorder see Psychotic Disorders

Schizophrenia
Assessment of capacity to consent to research among older persons with schizophrenia, Alzheimer disease, or diabetes mellitus: comparison of a 3-item questionnaire with a comprehensive standardized capacity instrument [Palmer] 734 (Jy)
Association of *DISC1/TRAX* haplotypes with schizophrenia, reduced prefrontal gray matter, and impaired short- and long-term memory [Cannon] 1205 (No)
Attitudes toward antipsychotic medication: the impact of clinical variables and relationships with health professionals [Day] 717 (Jy)
Chromatin alterations associated with down-regulated metabolic gene expression in the prefrontal cortex of subjects with schizophrenia [Akbarian] 829 (Au)
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)
Dorsolateral prefrontal cortex activity during maintenance and manipulation of information in working memory in patients with schizophrenia [Cannon] 1071 (Oc)
Early-stage visual processing and cortical amplification deficits in schizophrenia [Butler] 495 (My)
Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms [Sacco] 649 (Je)
Elaboration on premorbid intellectual performance in schizophrenia: premorbid intellectual decline and risk for schizophrenia [Reichenberg] 1297 (De)
Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study [Laursen] 841 (Au)
Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to *DISC1*, and suggestive evidence at 22q11 and 19p13 [Hamshere] 1081 (Oc)
Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal modal analysis [Henderson] 19 (Ja)
Hippocampal complexin proteins and cognitive dysfunction in schizophrenia [Sawada] 263 (Mr)
Imaging frontostriatal function in ultra-high-risk, early, and chronic schizophrenia during executive processing [Morey] 254 (Mr)
Increased caudate dopamine D_2 receptor availability as a genetic marker for schizophrenia [Hirvonen] 371 (Ap)
Lifetime risk of suicide in schizophrenia: a reexamination [Palmer] 247 (Mr)
Mismatch negativity deficits are associated with poor functioning in schizophrenia patients [Light] 127 (Fe)
Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder [Green] 642 (Je)
Reduced parahippocampal connectivity produces schizophrenia-like memory deficits in simulated neural circuits with reduced parahippocampal connectivity [Talamini] 485 (My)
Regionally specific disturbance of dorsolateral prefrontal–hippocampal functional connectivity in schizophrenia [Meyer-Lindenberg] 379 (Ap)
Sarcosine or D-serine add-on treatment for acute exacerbation of schizophrenia: a randomized, double-blind, placebo-controlled study [Lane] 1196 (No)
Whole-brain morphometric study of schizophrenia revealing a spatially complex set of focal abnormalities [Davatzikos] 1218 (No)

Selection Bias
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)

Self Esteem
Predictors of treatment acceptance and completion in anorexia nervosa: implications for future study designs [Halmi] 776 (Jy)

Self-Injurious Behavior
Emergency treatment of young people following deliberate self-harm [Olfson] 1122 (Oc)

September 11 Terrorist Attacks
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)

Serotonin
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)

Serotonin Receptors see Receptors, Serotonin

Serotonin Reuptake Inhibitors
Does treating post–myocardial infarction depression reduce medical mortality? [Glassman] 711 (Jy)
Effects of antidepressant medication on morbidity and mortality in depressed patients after myocardial infarction [Taylor] 792 (Jy)
Relationship between antidepressant medication use and rate of suicide [Gibbons] 165 (Fe)

Serotonin Transporter Gene
Influence of serotonin transporter promoter region polymorphisms on hippocampal volumes in late-life depression [Taylor] 537 (My)
Influence of the serotonin transporter promoter gene and shyness on children's cerebral responses to facial expression [Battaglia] 85 (Ja)
Susceptibility gene for affective disorders and the response of the human amygdala [Hariri] 146 (Fe)

Sex Characteristics
Mixed hypomania in 908 patients with bipolar disorder evaluated prospectively in the Stanley Foundation Bipolar Treatment Network: a sex-specific phenomenon [Suppes] 1089 (Oc)
Sex differences in the clinical manifestations of Alzheimer disease pathology [Barnes] 685 (Je)

Shyness
Influence of the serotonin transporter promoter gene and shyness on children's cerebral responses to facial expression [Battaglia] 85 (Ja)

Sleep, REM
Alterations in regional cerebral glucose metabolism across waking and non–rapid eye movement sleep in depression [Nofzinger] 387 (Ap)

Smoking
Association between smoking and attention-deficit/hyperactivity disorder symptoms in a population-based sample of young adults [Kollins] 1142 (Oc)

Cortical γ-aminobutyric acid type a–benzodiazepine receptors in recovery from alcohol dependence: relationship to features of alcohol dependence and cigarette smoking [Staley] 877 (Au)
Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms [Sacco] 649 (Je)
Long-term stability of alcohol and other substance dependence diagnoses and habitual smoking: an evaluation after 5 years [Culverhouse] 753 (Jy)
Personality and problem gambling: a prospective study of a birth cohort of young adults [Slutske] 769 (Jy)
Smoking and the risk of suicidal behavior: a prospective study of a community sample [Breslau] 328 (Mr)
Twin registry study of the relationship between posttraumatic stress disorder and nicotine dependence in men [Koenen] 1258 (No)

Social Adjustment
Maternal depression and children's antisocial behavior: nature and nurture effects [Kim-Cohen] 173 (Fe)
Neighborhood residence and mental health problems of 5- to 11-year-olds [Xue] 554 (My)
Psychosocial disability in the course of bipolar I and II disorders: a prospective, comparative, longitudinal study [Judd] 1322 (De)

Social Behavior Disorders
Structure of genetic and environmental risk factors for anxiety disorders in men and women [Hettema] 182 (Fe)
Venlafaxine extended release vs placebo and paroxetine in social anxiety disorder [Liebowitz] 190 (Fe)

Social Rhythm Therapy
Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder [Frank] 996 (Se)

Socioeconomic Factors
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers [Scherrer] 677 (Je)
Neighborhood residence and mental health problems of 5- to 11-year-olds [Xue] 554 (My)

Sodium Valproate see Valproic Acid

Somatoform Disorders
Somatization increases medical utilization and costs independent of psychiatric and medical comorbidity [Barsky] 903 (Au)

Statins, HMG-CoA see Hydroxymethylglutaryl-CoA Reductase Inhibitors

Stress Disorders, Posttraumatic
Functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder [Shin] 273 (Mr)
Heart rate and posttraumatic stress in injured children [Kassam-Adams] 335 (Mr)
Prevalence of *DSM-IV* disorders and attendant help-seeking in 2 American Indian reservation populations [Beals] 99 (Ja)
Psychopathology among New York City public school children 6 months after September 11 [Hoven] 545 (My)
Structure of posttraumatic stress disorder: latent class analysis in 2 community samples [Breslau] 1343 (De)
Twin registry study of the relationship between posttraumatic stress disorder and nicotine dependence in men [Koenen] 1258 (No)

Stress, Psychological
Cognitive modulation of the endocrine stress response to a pharmacological challenge in normal and panic disorder subjects [Abelson] 668 (Je)
Interaction of stressful life events and a serotonin transporter polymorphism in the prediction of episodes of major depression: a replication [Kendler] 529 (My)

Substance-Related Disorders
Adolescent opioid abuse [O'Brien] 1165 (Oc)
Alcohol misuse and mood disorders following traumatic brain injury [Jorge] 742 (Jy)
Alcohol use disorders among US college students and their non–college-attending peers [Slutske] 321 (Mr)
Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC [Markon] 1352 (De)
Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial [Marsch] 1157 (Oc)
Cortical γ-aminobutyric acid type a–benzodiazepine receptors in recovery from alcohol dependence: relationship to features of alcohol dependence and cigarette smoking [Staley] 877 (Au)
Differences between early-phase primary psychotic disorders with concurrent substance use and substance-induced psychoses [Caton] 137 (Fe); correction, 493 (My)
Effect of genes, environment, and lifetime co-occurring disorders on health-related quality of life in problem and pathological gamblers [Scherrer] 677 (Je)
Effect of prize-based incentives on outcomes in stimulant abusers in outpatient psychosocial treatment programs: a National Drug Abuse Treatment Clinical Trials Network Study [Petry] 1148 (Oc)
Effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes [McKay] 199 (Fe)
Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions [Hasin] 1097 (Oc)
Failure and delay in initial treatment contact after first onset of mental disorders in the National Comorbidity Survey Replication [Wang] 603 (Je)
Genome-wide search for quantitative trait loci that influence antisocial drug dependence in adolescence [Stallings] 1042 (Se)
Lifetime prevalence and age-of-onset distributions of *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 593 (Je); correction, 768 (Jy)
Long-term stability of alcohol and other substance dependence diagnoses and habitual smoking: an evaluation after 5 years [Culverhouse] 753 (Jy)
Methamphetamine users in sustained abstinence: a proton magnetic resonance spectroscopy study [Nordahl] 444 (Ap)
Neural activation patterns of methamphetamine-dependent subjects during decision making predict relapse [Paulus] 761 (Jy)
Personality and problem gambling: a prospective study of a birth cohort of young adults [Slutske] 769 (Jy)
Prevalence, severity, and comorbidity of 12-month *DSM-IV* disorders in the National Comorbidity Survey Replication [Kessler] 617 (Je); correction, 709 (Jy)
Risk factors predicting changes in marijuana involvement in teenagers [van den Bree] 311 (Mr)
Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication [Wang] 629 (Je)

Suicide
Lifetime risk of suicide in schizophrenia: a reexamination [Palmer] 247 (Mr)
Relationship between antidepressant medication use and rate of suicide [Gibbons] 165 (Fe)
Smoking and the risk of suicidal behavior: a prospective study of a community sample [Breslau] 328 (Mr)
Subthreshold depression in adolescence and mental health outcomes in adulthood [Fergusson] 66 (Ja)
Suicide risk in patients treated with lithium [Kessing] 860 (Au)
Suicide risk in relation to psychiatric hospitalization: evidence based on longitudinal registers [Qin] 427 (Ap)

Suicide, Attempted
Anxiety disorders and risk for suicidal ideation and suicide attempts: a population-based longitudinal study of adults [Sareen] 1249 (No)
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)

Swift, Jonathan (1667-1745)
Gulliver's Travels: the *Struldbruggs* [Harris] 243 (Mr)

T

Telemedicine
Effectiveness of telephone-based continuing care for alcohol and cocaine dependence: 24-month outcomes [McKay] 199 (Fe)
Randomized trial to improve the quality of treatment for panic and generalized anxiety disorders in primary care [Rollman] 1332 (De)
Telephone-administered psychotherapy for depression [Mohr] 1007 (Se)

Theft
Crime victimization in adults with severe mental illness: comparison with the National Crime Victimization Survey [Teplin] 911 (Au)

Time Factors
Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review [Marshall] 975 (Se)

Timidity see Shyness

Tobacco Use Disorder
Categorical and continuous models of liability to externalizing disorders: a direct comparison in NESARC [Markon] 1352 (De)
Twin registry study of the relationship between posttraumatic stress disorder and nicotine dependence in men [Koenen] 1258 (No)

Tomography, Emission-Computed
Correlation of stable elevations in striatal μ-opioid receptor availability in detoxified alcoholic patients with alcohol craving: a positron emission tomography study using carbon 11—labeled carfentanil [Heinz] 57 (Ja); correction, 983 (Se)

Tryptophan Hydroxylase
Haplotype-based linkage of tryptophan hydroxylase 2 to suicide attempt, major depression, and cerebrospinal fluid 5-hydroxyindoleacetic acid in 4 populations [Zhou] 1109 (Oc)

Twin Studies
Twin registry study of the relationship between posttraumatic stress disorder and nicotine dependence in men [Koenen] 1258 (No)

U

United States
Alcohol use disorders among US college students and their non–college-attending peers [Slutske] 321 (Mr)
Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication [Wang] 629 (Je)

Urban Health
Neighborhood residence and mental health problems of 5- to 11-year-olds [Xue] 554 (My)

Utrillo, Maurice (1883-1955)
Lapin Agile in Winter [Harris] 1070 (Oc)

V

Valadon, Marie-Clementine (Suzanne) (1865-1938)
Portrait of the Family [Harris] 952 (Se)

Valproic Acid
Efficacy of valporate maintenance in patients with bipolar disorder and alcoholism: a double-blind placebo-controlled study [Salloum] 37 (Ja)

Variation (Genetics)
Catechol O-methyltransferase gene variant and birth weight predict early-onset antisocial behavior in children with attention-deficit/hyperactivity disorder [Thapar] 1275 (No)

Venlafaxine
Venlafaxine extended release vs placebo and paroxetine in social anxiety disorder [Liebowitz] 190 (Fe)

Ventral Striatum see Basal Ganglia

Videotape Recording
Validation of the phenomenon of autistic regression using home videotapes [Werner] 889 (Au)

Violence
Crime victimization in adults with severe mental illness: comparison with the National Crime Victimization Survey [Teplin] 911 (Au)
Violence and the mentally ill: victims, not perpetrators [Eisenberg] 825 (Au)

Visual Perception
Early-stage visual processing and cortical amplification deficits in schizophrenia [Butler] 495 (My)

Vocational Rehabilitation see Rehabilitation, Vocational

W

War
Gassed [Harris] 15 (Ja)

Whistler, James Abbott McNeill (1834-1903)
Arrangement in Grey and Black, No. 1: Portrait of the Painter's Mother [Harris] 1295 (De)

Women's Health
Altered brain serotonin 5-HT_{1A} receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [carbonyl-^{11}C]WAY-100635 [Bailer] 1032 (Se)
Cost-effectiveness of evidence-based pharmacotherapy or cognitive behavior therapy compared with community referral for major depression in predominantly low-income minority women [Revicki] 868 (Au)
Mixed hypomania in 908 patients with bipolar disorder evaluated prospectively in the Stanley Foundation Bipolar Treatment Network: a sex-specific phenomenon [Suppes] 1089 (Oc)
Sex differences in the clinical manifestations of Alzheimer disease pathology [Barnes] 685 (Je)

World War I
Gassed [Harris] 15 (Ja)

Wound Healing
Hostile marital interactions, proinflammatory cytokine production, and wound healing [Kiecolt-Glaser] 1377 (De)

Wounds and Injuries
Heart rate and posttraumatic stress in injured children [Kassam-Adams] 335 (Mr)

Z

Ziprasidone
Control group bias in randomized atypical antipsychotic medication trials for schizophrenia [Woods] 961 (Se)